## American Horticulturist

Volume 55 Number 1 Late Winter, 1976



**RED CARDINAL** 



MME LE COULTRE

## SHO-UN (AZURE SKIES)



## Blackthorne

SUPER HARDY

## Clematis

Clematis are the noblest and most colorful of climbing vines. Fortunately, they are also one of the hardiest, most disease free and therefore easiest of culture.

As the result of our many years of research and development involving these glorious vines, we now make available to the American gardening public:

★ Heavy TWO YEAR plants (the absolute optimum size for successful planting in your garden).

 $\bigstar$  Own rooted plants — NOT GRAFTED — therefore not susceptible to common Clematis wilt.

★ Heavily rooted, BLOOMING SIZE plants, actually growing in a rich 100% organic medium, — all in an especially designed container.

★ Simply remove container, plant, and — "JUMP BACK"!! For within a few days your Blackthorne Clematis will be growing like the proverbial "weed", and getting ready to flower!

 $\bigstar$  Rare and distinctive species and varieties not readily available commercially — if at all!

★ Plants Northern grown to our rigid specifications by one of the world's premier Clematis growers and plantsmen, Arthur H. Steffen, Inc.

★ The very ultimate in simplified, pictorial cultural instructions AVAILABLE NOWHERE ELSE, Free with order.

## - OLD GLORY CLEMATIS COLLECTION -

- **RED RED CARDINAL** New from France comes this, the most spectacular red Clematis ever developed. It is a blazing mass of glory from May on. Each of the large, velvety, rich crimson red blooms is lit up by a sun-like mass of bright golden stamens, in the very heart of the flower! Red Cardinal's rich brilliance defies description! **Price \$6.95 each** — **3 for \$17.95 POSTPAID**
- WHITE MME LE COULTRE Another great new one from France, and the finest white hybrid Clematis ever developed. Giant, salad plate size, (often larger) blossoms simply smother the vigorous plant in May and June, intermittently throughout the summer, with another massive display in September, continuing until season's end! Price \$6.95 each — 3 for \$17.95 POSTPAID
- BLUE SHO-UN (AZURE SKIES) A brand new phenomenon from Japan. Absolutely huge, rich, clear blue blossoms, strikingly accentuated by a tuft of ivory stamens in their centers, dramatically engulf the exceedingly vigorous plant for an unusually long flowering period from May on. Price \$6.95 each 3 for \$17.95 POSTPAID

Complete OLD GLORY CLEMATIS COLLECTION, consisting of one each of the above rare and beautiful plants, only \$14.95 POSTPAID

SPECIAL PRICE FOR THE COMBINATION AS SHOWN IS POSITIVELY VOID AFTER MAY 15, 1976, OR BEFORE, IF SOLD OUT.

**COLOR CATALOG** (A Botanical Reference Piece) featuring what is considered to be the most extensive listing of easily grown, new, rare and unusual Lilies, Clematis, Alliums, Hostas, Wild Flowers, Dutch Bulbs, etc. PLUS spring sales folder featuring rare and unusual bulbs and plants from world wide sources, to individualize your garden, \$1.00-deductible from first order, or FREE with any of the above Clematis Collections.

## WE PAY POSTAGE

ALL ORDERS TO THE WEST COAST SENT BY AIR POSTPAID MASSACHUSETTS RESIDENTS ADD 5% SALES TAX



For United Horticulture ... the particular objects and business of The American Horticultural Society are to promote and encourage national interest in scientific research and education in horticulture in all of its branches.

AMERICAN HORTICULTURIST is the official publication of The American Horticultural Society, 7931 East Boulevard Drive, Alexandria, Virginia 22308, and is issued in February, April, June, August, October and December. Membership in the Society automatically includes a subscription to American Horticulturist and \$1.50 is designated for each issue of this publication. Membership dues start at \$15.00 a year.

Refer editorial matters to: Murray Keene American Horticulturist Mount Vernon, Virginia 22121

Refer advertising matters to: Publisher Services, Inc. 621 Duke Street Alexandria, Virginia 22314

Address requests for reprints of articles to The American Horticultural Society, Mount Vernon, Virginia

AMERICAN HORTICULTURIST is devoted to the dissemination of knowledge in the science and art of growing ornamental plants, fruits, vegetables, and related subjects. Original papers which increase knowledge of plant materials of economic and aesthetic importance are invited. For manuscript specifications please address the Executive Director, Mount Vernon, Virginia 22121.

Replacement issues of AMERICAN HOR-TICULTURIST are available at a cost of \$2.50 per copy, but not beyond twelve months prior to date of current issue.

The opinions expressed in the articles which appear in *AMERICAN HORTICUL-TURIST* are those of the authors and are not necessarily those of the Society. They are presented as contributions to contemporary thought.



Second class postage paid at Alexandria, Virginia and at additional mailing offices. Copyright © 1976 by The American Horticultural Society.

## American Horticulturist Volume 55 Number 1 February, 1976

O. KEISTER EVANS, Executive Director

MURRAY KEENE, Editor JANE STEFFEY, Editorial Assistant DONALD WYMAN, Horticultural Consultant ALEX BERRY, Art Director

The American Horticultural Society, Publisher Mount Vernon, Virginia 22121 703/768-5700

## IN THIS ISSUE

#### 2 An Editorial

#### **Historical Horticulture**

4 Peter Henderson-Edythe Henderson Scripps and Dolly Maw

#### Gardener's Notebook

- 9 The Garden of Eden-Harlan T. Pierpont, Jr.
- 16 Low Maintenance Gardening-Donald Wyman
- 18 Sno' Beautiful-Lorraine Burgess

#### Travelogue

- 14 Going Down South-Lorraine Burgess
- 34 The Nona Whitney Evans Memorial Reading Garden-Richard T. Isaacson

#### Education

- 22 Bonsai-Clifton Pottberg
- 30 Houseplants Under Lights-Charles Marden Fitch

#### **My Favorite Plant**

- 38 Double-File Viburnum-Francis DeVos
- 26 Native Azaleas-Fred C. Galle
- 41 Books-Tom Stevenson

OUR COVER PHOTO by Guy Burgess. Yellow crocus —its' pollen is the source of saffron.

## An Editorial

## The Vanishing Line Between Conservation and Horticulture

This issue of the American Horticulturist begins America's Bicentennial year. This anniversary of 200 years of achievement (and disappointment) comes at a time when major forces are reshaping the traditional priorities of how we treasure the natural resources of our land. Twenty decades ago, most of the basic blocks for living were within a short walk of our Colonial forebearer's homesites. Trees, shurbs and grasses were cleared for crops and game was abundent, but each new season forced us to extend our living spaces and cultivated land. Not all land was suitable, however. The marsh and wetlands were by-passed for the flatlands and rolling countryside. The hills and river-cut gorges were left as natural property dividers. Just like a life-sustaining culture in a petri plate, our people covered the continent from coast to coast. Still pockets of non-arable land were left almost untouched. These areas abounded with natural flora and fauna that were badly affected by human encroachment. The concept of conservation-the creation of preserves and national parks-was not even embryonic during this period.

Even today, many areas of natural beauty still evade the protective mantle of a federal, state, or private preserve.

Yet, each morning our newspaper brings us stories of the threat of a loss of another area of natural beauty. We have seen the development of countless groups who seek through funding, lobbying, and ''education'' to prevent or delay the disappearance of these isolated areas of natural beauty. The battle is expanding daily as new areas become vulnerable to development and/or the ravages of pollution.

Will there ever be a time when the conservationist can feel that the losses of natural beauty can be held in check? Will we ever stabilize our life-giving lands to create a positive balance sheet of energy, space, food, industrial necessity, environmental quality, and aesthetics?

This cannot be accomplished simply by preserving

millions of acres of land. Whether we like it or not, we must expect these areas to change. The outpouring from our cities and industries, the spills from our cultivated lands will flow, drift, permeate and pollute all lands in time. We must take the steps to identify the eroding and contaminating factors and seek ways to stop them.

Conservation must also go beyond the doomsday babblings of the voices of despair. Negativism has never been part of the American heritage.

Conservation in its old sense emphasized maintenance. We now must broaden our endeavors to include renewing our resources. Horticulturists can help. We have always dealt with the renewal practices for plants.

Horticulturists already know how to breed, select, propagate, grow, transplant, install, train and maintain thousands of plant species. Unfortunately, we have really lavished our attention on a very limited number. The rose, the chrysanthemum, and the potato (as examples) have had hundreds of years of pampering and development. We must bring our skills to here-to-fore neglected plants. Many of our native American plants, which fill our meadows, gorges, and hill spaces, need re-emphasis as we strive to re-stock these areas.

I am most encouraged that our recent horticultural sessions in Hawaii presented new information on the germination requirements for several native plants. We must expand these activities to the hundreds of endangered native plants. As gardeners, we can and must use our skills to help repopulate vanishing floras.

Horticulturists are beginning to erase the lines between themselves and conservationists. Our tasks have only begun, for we must learn how to communicate what we know. The American Horticultural Society is dedicated to this education and communication. It awaits every member contributing his part, I hope you seek your ways to serve. Henry M. Cathey

President AHS

2





## **Bookshop** for Gardeners

From the stock of Laurie Todd's comes the finest in gardening literature

A

EN

THE ORCHIDS: SCIENTIFIC STUDIES
Carl L. Withner \$22.50
This 1974 edition is not a revision of
1959 edition. New Material.
THE RHODODENDRON VOL. II
Published by
The Leslie Urguhart Press \$35.00
18 reproductions from paintings by
Carlos Riefel.
MICRO-CLIMATE: THE BIOLOGICAL
ENVIRONMENT
Norman J. Rosenberg \$13.50
Norman J. Rosenberg \$13.50
WILDFLOWER TRAILS OF THE
PACIFIC NORTHWEST
Art Chipman \$15.00
236 full color illus.
DWARF BULBS
Brian Mathew \$12.95
Published in association with the Royal
Horticultural Society.700 species covered.
A SAMPLER OF WAYSIDE HERBS:
<b>REDISCOVERING OLD USES FOR</b>

REDISCOVERING	OLD	USES	FOF
FAMILIAR WILD P	LANTS		
Barbara Pond			\$17.50

One of the most exquisite books ever stocked by Laurie Todd's – sought after even by the non-gardening bibliophile. 32 full-color paintings, 60 fine line pencil drawings.

## THE TREES OF CHRISTMAS

Edna Metcalfe (comp) § 7.95 The Horticultural Society of Davidson County, Tennessee whose annual exhibit "Christmas Trees of Many Lands" was both the inspiration for and basis for this book.

## FLORA OF THE PACIFIC NORTH-WEST: AN ILLUSTRATED MANUAL

C. Leo Hitchcock \$25.00 A taxonomic treatment of all the species of flowering plants, conifers, ferns, and fern-related plants native to or established in Washington, northern Oregon and Idaho, western Montana and southern British Columbia.

Over 10,000 illus.

## CARNIVOROUS PLANTS

Randall Schqartz \$ 6.95 How to find, grow, feed and care for more than 40 species. A unique myth and mystery chapter with cartoons, comics and old engravings.

#### THE PHILADELPHIA AREA GREEN PAGES: A HANDBOOK FOR GREEN-ING OF PHILADELPHIA

\$ 3.00

An indispensible guide for any gardener living in Philadelphia Area. Published by Pennsylvania Horticultural Society.

HOUSE	
Philip Swindells \$ 7.50	
THE NATURAL GARDENS OF NORTH	
CAROLINA: WITH KEYS AND DE-	
SCRIPTIONS OF THE HERBACEOUS	
WILD FLOWERS FOUND THEREIN	
B. W. Wells \$ 7.95	

----

## CREATE A BUTTERFLY GARDEN

L. Hugh Newman	\$ 2.00
PINES FOR TROUB	LE FREE GARD-
Alan Bloom	\$ 5.00

## Alan Bloom

PLANTS OF SHAKESPEARE

Adelma Grenier Simmons \$ 2.50

## THE COOL GREENHOUSE TODAY

Deenagh Goold-Adams \$12.50 250 genera described. Construction, equipment, management.

## FERNS OF MICHIGAN

Cecil Billington \$ 5.00 Fern allies, rushes, club mosses included.

## A HISTORY OF THE ORCHID

Merle A. Reinikka	\$15.00
Foreword by Rebecca Northen	

Free gift wrapping. Card enclosures. Mailed anywhere



Send order to: LAURIE TODD'S 62 E. Stratford Ave. Lansdowne, Pa. 19050

Include 50c postage handling. Pa. residents add 6% sales tax. Your order will entitle you to be on the Laurie Todd mailing list to receive all catalogues and listings.

## PETER HENDERSON

## Bringing the dark into daylight

By Edythe Henderson Scripps and Dolly Maw

A tall, erect man with piercing grey eyes and the mien of a statesman, this was Peter Henderson. His distinguished appearance seemed to call for a diplomatic attache case in his hand, but actually he was more at home with a shovel.

Men highly distinguished for botanical research termed him "The Great Horticultural Missionary". Others lauded him for "Bringing the dark, selfish and ignorant methods of the old School of Horticulture into daylight".

It all began in Pathead, a village twelve miles south of Edinburgh, Scotland, when Peter was born to Agnes and James Henderson, on June 9th, 1822. His father was a land steward, his maternal grandfather, Peter Gilchrist, a shepherd and later a nurseryman and florist. Young Peter took advantage of his grandfather's library and became an avid reader. At 15, he went to Edinburgh and found work in a liquor store. The sordid scenes he saw there made him give up his position in a few months and started his life-long temperance leanings. Returning to the country he apprenticed in the gardens of Melville Castle. Competing in a competition open to all of Great Britain, he won a medal offered by the Royal Botanical Society for the best herbarium of native and exotic plants.

Arriving in New York in 1843 with but three sovereigns in his pocket, he set out hopefully to obtain employment. His first interview ended in such a rebuff it made a profound impression on him. He determined never to inflict such rudeness on others, if and when he had any authority. Future applicants always received courteous treatment throughout his lifetime and he diligently answered every request made of him.

His first positions in the United States were in the nurseries of George Thorburn at Astoria, Long Island and Robert Buist, Sr. at Philadelphia, one of the leading nurserymen and florists in the country.

Later he became a private gardener with Mr. Charles F. Spang of Pittsburgh and after accumulating a capital of \$500, started a market garden business in Jersey City with his brother James as partner. The partnership was dissolved after several years, with James concentrating on vegetable gardening solely, while Peter broadened his work into the ornamental fields.

In 1853 he opened an office in New York with McIlvain

& Orr, later known as McIlvain & Young, taking orders for greenhouse and vegetable plants and conducting an auction of small lots of plants.

Peter Henderson was a daybreak to dark worker. Conditions were far different from what they are today. For instance, the wooden tallies or labels were all laboriously made by hand in the 1850's.

Jealous of wasting time, Mr. Henderson paid a waiter in the restaurant he frequented, to watch for his coming and as soon as his face appeared in the doorway, his dinner would be on the table. He begrudged any time, however necessary, away from his dedicated profession.

In 1864 he erected a model range of greenhouses, heated and ventilated in an extremely efficient manner. He became an authority on the glass greenhouses of that day and helped novices in the business. His greenhouse diagrams showed him to be a competent draftsman and architect with a working knowledge of engineering. His ambition was to raise the florist business to the level of other mercantile pursuits.

Although Peter Henderson protested that he was "more at home handling a spade than a pen" he was a prolific writer, not only in personal correspondence, but as a published author. Hovey's Magazine, published in Boston, printed his first article which was on the transplanting of large trees. Other articles, primarily on vegetable culture but later on ornamental horticulture, appeared regularly in The Horticulturist, The Gardener's Monthly, Rural New-Yorker and Country Gentleman.

There was nothing of the selfish researcher in Peter Henderson. He believed in sharing his finds, stating, "I consider that man particularly unfortunate who asks a patent for what he thinks to be a discovery in horticulture, for there is a free masonry about the craft which begets a generous exchange of information, and he that holds a 'secret' to himself or intrenches his 'discovery' behind a patent right is not usually benefitted thereby".

His first book, entitled, "Gardening For Profit", was published in the summer of 1866. His usual work day consisted of sixteen hours of active labor which would have depleted the energies of an ordinary man but Peter Henderson had the dedication and drive to devote his late evening hours to his writing. His first book had a great

4







Above and opposite page—Late 19th Century magazine advertisements for the Peter Henderson Co.

influence on the market-gardening and trucking interests of the country.

In 1868, "Practical Floriculture" was published. This book showed how flowers and plants could best be grown for profit. It did for aesthetic gardening what his first book did for material horticulture. Next came "Gardening for Pleasure" in 1875, written for the private gardener and giving guide lines for the propagation and culture of flowers, vegetables and fruits.

As an essayist, Peter Henderson showed his most delightful literary form. He tempered his scientific observations with a keen and whimsical sense of humor. These writings were published in 1884 under the title, "Garden and Farm Topics".

His fifth and most pretentious work was "Henderson's Hand Book of Plants", published in 1881. It was a large tome definitively encyclopedic in character with over 400 pages giving botanical classification, methods of propagation and culture of both useful and ornamental plants. This book met with excellent reception, but perfectionist that he was, he re-wrote and enlarged it in 1889, reading the last proofs just a month before his death.

In collaboration with William Grozier, a successful farmer of the time, he produced a book, "How The Farm Pays" in 1884. He was not only a constant contributor to a score of magazines right up until the time of his death, but he was so highly esteemed that he was offered the chief editorship of "Tilton's Journal of Horticulture" at an impressive salary for the year 1869.

Peter Henderson was a crusader. Being a scrupulously honest person, he had little sympathy for the charlatans of the horticulture business. He exposed them in newspapers and magazines and was exceptionally strong in his denunciations. He brought out the fact that otherwise intelligent men and women, successful in various professions and exceptionally acute in recognizing frauds, were gullible enough to believe the roseate promises of the flower pitchmen. He wrote, "In the springtime, when his garden instincts begin to bud and he sees in some window on Broadway flaming representations of fruits and flowers, he falls into the trap and is ready for the spoiler."

He deplored the swindling practiced in the fertilizer business: the packaging of ordinary fertilizer in containers with claims of specialization. One such vendor came to his office with an impressively canned fertilizer that he claimed had the wonderful properties of invigorating and stimulating all planted crops and at the same time would kill all noxious weeds. Henderson graphically compared the claim in an article, "If he had said he had a cannon from which, when grape shot was fired into a crowd, it killed only enemies—never friends—the one claim would have been as reasonable as the other."

Peter Henderson had the type of true genius that upsets all settled ideas. He was continually analyzing and testing, never taking anything for granted and often becoming a controversial figure by challenging theories. He took issue with Charles Darwin's statement that certain plants such as the Drosera or Sundew and our Carolina Fly-Trap are fed by the insects which their wonderful structure enables them to catch. He made a thorough and exhaustive experiment in his greenhouses with 400 Fly Trap plants. The result was that the most careful comparison failed to show the slightest difference between those fed with insects and those that were not so fed. He also disputed Darwin's theory of "Graft-Hybrids" and published his views in a paper he read before the New York Horticultural Society in 1881, entitled "Popular Errors and Scientific Dogmas in Horticulture."


His questing mind overlooked no small detail. He was continually comparing methods and results. In Cleveland, Ohio, in June of 1880, he read a paper before the annual meeting of the National Association of Nurserymen, Florists and Seedsmen, on "The Use of The Feet In Sowing and Planting." He humbly started out saying that perhaps such a knowledgeable audience would know the importance of the use of the feet but candidly admitted that, although he had been engaged in gardening operations for over a guarter of a century, he did not fully realize until a few years ago, the full importance of how indispensable it is to use the feet in the operations of sowing and planting. He pointed out that the loss to the agricultural and horticultural community, from the habit of loosely sowing seeds or planting plants in hot and dry soils, is of a magnitude which few will believe until they have witnessed it. A loss he deeply regretted for the practice of "firming" was an almost certain preventive and easily achieved.

As an experiment, he had sowed twelve rows of sweet corn and twelve rows of beets, treading in, after sowing, every alternate row of each. In both cases those trod in came up in four days, while those unfirmed remained twelve days before starting, and would not then have germinated had it not rained. He added an important caution, not to tread or roll in seed if the ground is not dry.

His scientific interest pendulum swung in a wide arc from the highly technical to the simple and practical.

Ordinarily, a man of Peter Henderson's philosophical and literary talent would not have been a good merchant. He was the rare exception, innovating sales ideas, creating advertising and promotions that the advertising hierarchy of today might well envy. He was the first one to use full color in his catalogs and advertisements. Their dramatic impact on the public was tremendous. Henderson catalogs became the Bible of the gardening world, respected for their beauty and validity. In 1872, he offered the idea of procuring *all* gardening supplies from one firm. His slogan was "Everything For The Garden" from seeds to lawn mowers and tools.

He was the first man in the country to initiate the true and natural way of proving the vitality of seeds—by sowing them in the soil. Seedmen's former plan was to germinate them in moist cotton or flannel which was a mislead-





Fac-simile of Mr. Henderson's last signature

ing method.

Many of the household words used today, such as Golden Bantam Corn and Country Gentleman Corn, came from the Henderson experiments. During his career, he introduced many novelties that have become standard varieties.

Feeling that most lawn mowers were too heavy and cumbersome, Peter Henderson tapped his engineering genius to develop the lightest and easiest running mower possible. It was called, "The Henderson Featherweight Lawn Mower" and received enthusiastic acceptance.

He was the rare type of practical dreamer who visualized the ultimate in garden beauty and then proceeded to offer every possible aid to the achievement of it.

The advent of a new Henderson catalog was a stellar event, eagerly anticipated by estate owners, small farmers and anyone with a miniscule plot of ground. Every one of the 200 or more pages was studied, consulted and followed as *the* definitive advice on the subject. Catalog cultists today treasure them as collector's items and they still have the power to make the reader want to dig his hands into the soil (even if only a window box in a condominium) and bring forth some of the promised magic and beauty.

Because of his temperate, no drinking, no smoking life, Peter Henderson was extremely healthy. His single illness was an attack of pleurisy in 1875. A bout with pneumonia in January, 1890, made him take to his bed briefly. Even then, he took time to pencil a reply to the editor of the Florida Dispatch regarding the famous "American Beauty" rose, questioning whether it was really of American origin. His reply stated the circumstances under which the rose was found and that the variety was really an old French rose, "Madame Ferdinand Jamain". Even in illness, the life-long habit of answering every query sent to him, and moreover answering in his personal longhand, persisted. His correspondence was voluminous. In the last twenty-five years of his life, he received letters of thanks from more than seventy thousand people. In today's ecology conscious world he should receive new recognition for his zeal in obtaining the best possible from the soil, both in material sustenance via food and aesthetic enrichment via floral beauty.

The measure of the man was aptly stated in one eulogy published in the Phrenological Journal, "If he had been trained to engineering in its broadest sense, literature in connection with science, law in connection with ethics, he would have been a strong man."

Perhaps his contribution to mankind is best summed up by this quote from Jonathan Swift (1667-1743) Voyage to Brobdingnag, Chap. VII, Part II. "And he gave it for his opinion, that whoever could make two ears of corn, or two blades of grass, to grow upon a spot of ground where only one grew before, would deserve better of mankind, and do more essential service to his country, than the whole race of politicians put together."

by Harlan T. Pierpont, Jr. Executive Director Worcester County Horticultural Society Worcester, Massachusetts 01608



Ever since Eve seduced Adam, the apple has been important in the lives of men and women. History tells us the apple was first found in Persia known as the fruit of love—and is said to have caused the fall of Troy. During the Roman civilization it was important, cultivated and taken by the Romans to England. Many years later, seeds were brought to the New World by the early settlers where the only native apples growing were small crab apples.

Probably a majority came from England with the Pilgrims, but we do know the French in Canada brought apples with them too, such as "Lady" or "Fameuse". One of my own favorite apples-the best early one for a delicious pie, is the Gravenstein which originated in Germany, and who can forget the Red Astrachan brought to this country from Russia? The first apple we have record of growing in the colonies was the Roxbury Russet in 1649-which is said to have made the finest cider. To the colonists the apple was a mainstay of their existence. Besides being eaten fresh or cooked, apples produced cider and from this, vinegar, so necessary to the old farm for preserving and pickling. Apples do not come true from seed, however, so consequently in a few years hundreds of varieties were producing fruit in the colonies-sweet, sour, large and small, early or late-some good keepers and some poor.

Thus, one day by chance, in 1870, on the Canadian farm of a Mr. McIntosh was discovered that superb seedling—with dark red skin and white flesh—a favorite today of many—the McIntosh. Another old and important apple was the Baldwin or Woodpecker, one of the best keepers or winter apples. Before the days of modern fruit perservation, a good husbandman needed early apples—as well as those that would keep well through the long New England winter.


Soon after 1740, the Baldwin came up as a chance seedling on the farm of John Ball in Wilmington, Mass. It was cultivated and enjoyed locally. Some years later the farm was sold to the Butters family and because woodpeckers liked to frequent the tree, the fruit became known as Butters, Woodpecker or just Pecker. About 1780, the Middlesex canal was being constructed under the direction of a Colonel Baldwin who became aware of this fine apple which he propagated and promoted so that it was eventually given his name. It is said that during the late 19th century it was the country's single most important apple for export. In one season, fifteen hundred barrels were exported to India alone! Forty per-cent of all apples grown were Baldwin! But, it had a serious weakness causing its eventual demise. It only bore fruit every other year. However, so that we will not forget this apple, so important as a winter keeper before the days of artificial refrigeration, a granite monument to the Baldwin was erected in Wilmington, Massachusetts.

This brings me to another talethat I must recount of how the whole apple and fruit industry of the west coast started. Henderson Luelling, born April 25, 1809 in Salem, North Carolina, moved as a boy with his family to Ohio founding a town called Salem. They soon moved into Indiana and then Iowa in towns they named Salem. From his nursery there, we find him in 1847 planting an assortment of apples, peaches, pears, plums, cherries and other fruit in two specially built wagons which contained special moisture-retaining soil. We are told the two wagons

were filled with about 700 trees.

"On a spring day, in Salem, Iowa on April 17, 1847, Henderson Luelling, his first wife and eight children. started the traveling nursery toward the Oregon Territory. On May 17th they crossed the Missouri River. All summer the family and nursery wagons traveled westward. Many times throughout the summer the trees' need for water came before human needs. What a sacrifice this family made in helping to settle the West! And while crossing the Bear River in Southeastern Idaho, one wagon and all of its contents was lost-one half of his total nursery stock. It has never been known whether the varieties of nursery stock had been equally divided in to two wagons in case of such an accident or not. At least Henderson never confided to others on this subject.

When nearing the mountains of eastern Oregon, some miles away from the Whitman Mission, Dr. Whitman sent a scout to meet them, to advise Henderson that it would be prudent to stop and locate his family and the nursery stock in the Grande



Ronde Valley of eastern Oregon, because the Indians near Walla Walla, Washington were getting hostile toward the settlers. But Henderson's mind had been made up many miles back and much time ago, and plans were to continue on to the Willamette Valley. And so, in September of 1847, just two months before the Whitman Massacre, the Luelling Family and nursery wagons arrived at the Whitman Mission.

Soon thereafter, the nursery, livestock and family arrived at Dalles, Oregon, on the Columbia River. All possessions and the family then, were rafted down river to Fort Vancouver, arriving on November 17, 1847. After about a month's stay, the Luellings moved over to Portland, Oregon, then a small town upon the banks of the Willamette River. The nursery stock was heeled in the ground, in December, for the winter months.

Almost immediately, Henderson went about locating property, purchasing a Land Claim, where the present Waverly Country Club, near Milwaukie, Oregon is situated. A close friend and previous traveler, William Meek, had brought some fruit seed with him. With Henderson buying the Land Claim on the banks of the Willamette River and William Meek buying an adjacent Land Claim, a firm was established called "Luelling and Meek" Nurseries.

Thus in the spring of 1848, on the Land Claims of "Luelling and Meek", was established the first nursery and orchards, of the commercial fruit varieties, then recommended by the newly formed "American Pomological Society", upon the Pacific Coast.

It took just one year after the start of the nursery stock from Salem, Iowa to Milwaukie, Oregon, until the Luellings had their nursery stock in the ground, over 2000 miles from start to finish. How near it came to failure is here revealed. "The Family had been under the Indians' watchful eyes when passing through the Blue Mountains of Eastern Oregon. And as told by a Christian Indian, in later years, the Indians had watched the strange moving trees and thought them to be protected by the Great Spirit, and so the family had not been attacked."

It was said by R. C. Greer, pioneer nurseryman of Oregon, that "Out of the Prairie Schooner, that crossed the plains, mountains and deserts from Salem, Iowa to Milwaukie, Oregonhas come more wealth to the state of Oregon than from any ship that has ever entered the Columbia River."

As told to Seth Luelling, his brother, the apple varieties brought to the coast were Sweet June, Astrachan, Golden Sweet, Summer Pearmain, Summer Bellflower, Gravenstein, Red Cheek

Pippin, Seek-no-further, Rambo, King, Golden Russet, Yellow Bellflower, Baldwin, Lady, White Pearmain, Northern Spy, Spitzenberg, Winesap, Green Newton, Jennetting, Tulpehocken, Holland Pippin and a few lesser sorts."



These were among the important and favorite apples of the day. Early apples and late winter keepers, sweet apples for eating and others more tart for cooking. However, with the advent of artificial refrigeration and modern storage methods during the 1930's, all this suddenly changed. The criterion now was merely taste as all varieties could be kept-hence today in our markets we see only four or five standard apples-pleasing to taste and easy to grow.

Because of this and the general exodus from country to city, many farms were abandoned and their orchards left untended. During the depression of the 1930's, a young Mr. Stearns L. Davenport, a graduate from the University of Massachusetts, was hired by the state to work with the WPA to oversee cleaning up these old farms to avoid the spread of disease. He noticed that many of the old time favorite apple trees were being lost forever as these orchards disappeared. Thus, a few years later when Myron Converse, President of the Worcester County Horticultural Society, was searching for a project of importance for the society to undertake, Mr. Davenport, now its secretary, suggested collecting many of the better old varieties of apples and putting them into a "preservation" orchard.

At first it was felt this orchard should be on President Converse's Farm, but Converse recommended that for ease of maintenance, the orchard, be placed on the farm of Mr. Davenport in North Grafton. Davenpost was run-

## HARRIS SEEDS **GET A FREE** 1976 CATALOG

Colorful 92-page catalog illustrates and Colorful 92-page catalog illustrates and describes hundreds of varieties of vege-tables and flowers. Many are available only from Harris Seeds-like our famous Moreton Hybrid tomato and Pioneer hy-brid carrot. For your free copy, send us your name and address on a postcard.



Harris Pioneer Hybrid Carrot Sweet, brittle and delicious! This vigorous quick-growing h for your garden. hybrid is the ideal carrot

JOSEPH HARRIS CO., INC. 5 Moreton Farm, Rochester, N. Y. 14624



Now you can grow economically year 'round in the only greenhouse that solves the energycost problem. Laboratory tested in Vermont, rigid double-pane thermal walls are 244% more heat efficient, shatterproof, and maintenance free. Free-standing and lean-to models, no foundations required. Factory direct only, 5 year total house warranty.



for Information P.O. Box 2235, Dept. AH Grand Central Station New York, N.Y. 10017 (212) 686-0173

ning a substantial production orchard and thus care and supervision were simplified. Mr. Davenport was truly a modern day "Johnny Appleseed".

He and the Society's Fruit Committee developed a list of some 60 old time favorites and set out to find them. Among these were the Roxbury Russet, Lady, Westfield-seek-no-further and Sops of Wine-what lovely names! For many years he looked for the Sterling or American Beauty and finally found an old tree growing right nearby in Sterling. One of the apples desired, the High-Top Sweeting, originally grown in New England seemed to have completely disappeared until after years of searching, it was found growing in California, probably taken there by Luelling.

This collection of some 60 varieties was completed by Mr. Davenport in 1968. He was then 81 years old. Because of his age, Mr. Davenport could no longer operate the farm and production orchard and he sold it to a gentleman named Poulin. The Society thus had their collection of old varieties now on Mr. Poulin's land. For a few years, Mr. Poulin contracted to maintain and care for the collection, but in 1970 announced that he could not continue and would cancel our agreement. Fortunately, a friend and neighbor, Old Sturbridge Village, felt that this was a logical extension of its New England Village Museum and offered to allow us to move the whole collection to Sturbridge. Five acres of woodland on the north side of a hill (perfect for an orchard) were cleared and fenced. Meantime, Mr. S. James Mistark of the Horticultural Society was busy grafting all the old varieties on to new root stock using dwarf malling No. VII.

While discussing this special orchard, I would be remiss not to mention briefly that all the preservation trees are being grown on dwarfed root stock EM VII. Although dwarfed fruit trees are very old, begining with the Greeks in the third century before Christ, fruit production did not begin until the nineteenth century. In the early 1900s, Sir Ronald Hatton of the

## Following is a lising of the old varieties of apples in the Orchard.

Saint Lawrence

Seekonk Sweeting

Shepards Sweeting

Sommerset of Maine

Summer Bellflower

Salome

Shiawassee

Smokehouse

Sops of Wine

Summer Rose

Sutton Beauty

Sweet Bough

Sweet Winesap

**Thompkins King** 

Titus Pippin

Wagener

Wealthy

White Pippin

Wolf River

Wright

Utter

Winter Banana

Winter Pearmain

Yellow Bellflower

Yellow Newtown

Yellow Transparent

Toman Sweet

**Twenty Ounce** 

Washington Greening

Wellington Bloomless

(Winthrop) Greening

Westfield, Seek-No-Further

Washington Strawberry

Stark

Stone

Swaar

Alexander American Beauty American Pippin

Baldwin Ben Davis Benoni Black Gilliflower Blue Pearmain

Canada Red Canada Reinette Chenango Strawberry Cox Orange Crow Egg

\*Davey Deacon Jones Duchess of Oldenburg Dyer

Early Harvest Early Joe Early William English Beauty Esopus Spitzenburg

Fallawater Fall Pippin Fameuse

Garden Royal Golden Russet Golden Sweet Gravenstein Grimes Golden

Hawley High Top Sweeting Hubbardston Hunt Russet Huntsman

#### Items we're searching for:

Arkansas Black Bullock Cole's Quince Domine Golden Pippin Green Sweet Harvey Lowell Mann Minkler Pennock Plumb Cider Richard Graft Jefferis Jonathan

> Lady Lady Sweet Late Strawberry Lyscom

McIntosh Maiden's Blush Malinda Melon Mother

Newtown Spitzenburg Nodhead Northern Spy Northern Sweet

Oliver Opalescent Ortley

Palmer Greening Paragon Peck's Pleasant Pewaukee Pomme Grise Porter Pound Sweet Primate Pumpkin Russet Pumpkin Sweet

Rambo Ralls Ramsdell Sweet Red Astrachan Red June Rhode Island Greening Ribston Roman Stem Roxbury Russet

**Rusty Coat** 

Summer Pearmain

**Yellow Sheepnose** 

Winter Sweet Paradise

Sheriff

Baker

Black Jersey

**Danvers Sweet** 

Early Strawberry

(Monstrous Pippin)

Gloria Mundi

Chandler

Cogswell

Cooper

Vandevere \*Not an old variety

> Green Sweet Holland Pippin McLellan Margaret Moore Sweet Priestly Pryor Red Russet Sweet and Sour Sweet Greening Tufts Victuals and Drink Winesap

12

East Malling Research Station in Kent, England, collected all the best root stocks from many countries, and grew them into pure clonal lines. He introduced sixteen of them to the trade as standardized, true to name, root stocks.

The so called "Malling" "East Malling" or EM rootstocks are widely used not only in England but here and in other countries. For our climate, we find the EMVII best. These trees grow 12 to 15 feet high and bear fruit in one-third the time it takes a standard tree. These trees thus can be pruned, sprayed and picked by a man standing on the ground—much faster and easier than the old method requiring tall ladders for working the old full size trees.

Scions from the Preservation Orchard have been shipped to every state in this country, Canada, Mexico, England and Denmark. Many historical projects such as Williamsburg, Virginia have been supplied scions from the original orchard. The Society will continue to send out the scionwood which will eventually be taken from the S. Lothrop Davenport Preservation Orchard at Old Sturbridge Village. The orchard is being operated as a joint responsibility of the two institutions. It may be visited with special permission from Old Sturbridge Village which plans to sell cider and fruit of the old varieties as soon as available, (in two or three years.)

Grafting scions and budstock for the propagation of these trees are distributed by the Worcester County Horticultural Society, 30 Elm Street, Worcester, Mass., which also maintains a superb library specializing in books on fruit.

To be at their best, apples ought to be eaten in orchards, framed in Autumn sunshine. We feel there is no apple grown today that can compare with these old time favorites—maybe it's our lost childhood—rather than lost varieties that is hard to find.

Fortunately, some 115 of the best of the old apple varieties are still being grown in the S. Lothrop Davenport Preservation Orchard at Old Sturbridge Village, Sturbridge, Mass.

## George Washington's River Farm Facilities



## Available for Garden Club Meetings, Tours, Lectures, Luncheons.

The River Farm Mansion at the American Horticultural Society's National Headquarters in Mount Vernon, Virginia, offers a delightful change of pace for your next garden club meeting or program. Our beautiful ballroom can be set up in conference, classroom or luncheon style to accommodate your needs. In good weather our large walkout terrace provides a perfect setting for luncheons, teas, or cocktails.

If you like, a private guided tour over the historic grounds can be arranged, including a dramatic slide presentation "Through the Seasons at River Farm." Also available is a tour of AHS's Plant Sciences Data Center.

We can also offer suggestions regarding caterers and lecturers for your convenience.

## River Farm Cottage Shop

A highlight of your day is certain to be a browse through the River Farm Cottage, offering exotic and rare plants for sale, a unique array of pots, gardening aids, the latest in horticultural books and gifts. Usually there will be at least one special display of unusual plant material such as bonsai miniatures, dried flower arrangements, tray gardens . . . offering new and creative ideas for professional and amateur plant enthusiasts alike. Proceeds from the sales are used in maintenance and development of River Farm as a National Horticultural Center.

For details about River Farm facilities and programs, the River Farm Cottage shop, assistance in planning your meetings, luncheons, teas, tours, contact Bettie Coombs at our headquarters office (703) 768-5700. Mon.-Fri. 9:00-5:00

Contributions are normally involved to cover expenses.

The Society reserves the right of scheduling events at the River Farm.

## **GoingSouth**

Lorraine Burgess 202 Old Broadmoor Road Colorado Springs, Colorado, 80906 Color Photos: Guy Burgess

With the first hint of spring, desert the blustery weather of the north and drive south to visit the remarkable garden estates of Louisiana, Alabama, Georgia, and North and South Carolina.

Wander at your leisure through the Sarah Duke Gardens on the Duke University campus at Durham, North Carolina. Spend several days at Colonial Williamsburg, Virginia watching the quickening of life in the 100 or more small gardens among the restored houses, and in the magnificent Palace Gardens. Enjoy the Pavillion garden designs on the University of Virginia campus at Charlottesville, and Thomas Jefferson's home at Monticello.

Do a circle tour of the gardens around Charleston, South Carolina, including the Cypress, Magnolia, and Middleton Place estates, and of course the old town gardens of the harbor city. Search out the Orton Plantation and the Greenfield Gardens at Wilmington, North Carolina, and the Tryon Palace at New Bern, North Carolina.

Spend a week, if you can, at the Callaway Gardens at Pine Mountain, Georgia. This is a complete resort, with lakes for swimming and boating, a fine golf course, and handsome, naturalized gardens. Travel further south to the Cypress Gardens at Winter Haven, Florida, or bend down to the Gulf, and visit the Bellingrath Gardens at Theodore, Alabama. Bellingrath has huge live oak trees beside great expanses of emerald-green lawn, and an excellent Japanese garden in a separate ravine.


Around New Orleans the choice is wide. First you should visit the Vieux Carre private gardens in the historical old town, and then the Longue Vue Gardens on an estate in a newer section of the city. Formal in character, the Longue Vue designs feature dancing fountains and ballerinas in early evening concert in a silvan garden setting. Out from New Orleans you can go up river to the Rosedown Plantation at LaFayetteville, of the Live Oak Gardens, formerly Rip Van Winkle Gardens at Jefferson Island, or northwest to the Hodges Gardens at Many, Louisiana.

At Shreveport you should visit the Barnwell Center, and look in on the new American Rose Center now under development. It has a series of gardens and water features, all dedicated to the display of the nation's favorite flower, the rose. A journey through these fine 'pleasure grounds' will launch your gardening year, even it if is still snowy when you return home. Having seen the first sprouting of a sub-tropical spring, having reveled in the beauty of azaleas, rhododendrons, and white and pink dogwood, you can return home inspired, to participate in a second spring in your own, still beautiful, home town.

If you wish a listing of botanic gardens and horticultural institutions in the U.S., consult the AHS Directory of American Horticulture.

BELOW—Spacious lawn with live oak tree hung with Spanish moss, Theodore Alabama, Bellingrath Gardens.

RIGHT—Underplanting of Coronation Gold pansies with Oxford tulips (foreground) and violets around daylily clumps under Flowering Parkman crab in Sarah Duke gardens, Durham, N.C.



14



## Low Maintenance Gardening for Two Old Codgers

by Donald Wyman AHS Past President



When you are through raising a large family, have them all happily married and in homes of their own, it is time to take a hard look at the grand old house in which you have been living all this time. Sure it has memories, and you like the arrangement of things-but the gardenisn't it pretty large? Are there young people around to browbeat into mowing the lawn, pulling the weeds, raking the leaves and shoveling the snow? How can two people live happily in a twenty room house and an acre or so of garden without being dog-tired each night from the care thereof?

Anyway, we crossed the bridge, and are now enjoying life to the hilt, as a matriarch and a patriarch should. House-wise we are down to a small condominium type place, all on one floor and simply love it. No grass to mow, no snow to shovel, if the water faucet leaks we make believe we don't understand plumbing and call the superintendent. When we want to take a trip for a week end or for six weeks, we lock the front door, call the superintendent and forget all about the place until we return. That is living!

But, we like to grow plants and want a garden, and certainly neither of us would be happy without one. Rules are, that we can not plant anything in front of the house, but that we can have a "foundation planting" at the rear. Also, we fortunately have a hundred or so feet of woods at the rear where we are "experimenting" with all sorts of plants. One of us is an eternal optimist where plants are concerned, and she believes everything will grow in the shade, on a gravelly base with plenty of root competition from the pines and oaks-and she keeps planting. The other of us, sits back and grins, taking it easy on the terrace while she gets into all sorts of problems with that woodsy planting. He is almost certain of the outcome, yet there is sufficient doubt to make him look and take notice once in a while just to see what she is doing.

He has supplied her with a goal to reach for-a well established foundation planting about that little house. Formerly, both of them had large gardens, worked in them incessantly, and when, at the experienced age of three score years and ten they decided to marry a second time (with the whole hearted approval of some 33 children, grandchildren and inlaws) they were confronted with a small space for the garden. After deep thought it was decided that was satisfactory for they wanted to travel anyway. But, 300 square feet for an interesting garden? It was easy!

First we set up a few policies, before even starting to select the plants. All plants had to be in the "low maintenance" category, that is, under four feet in height, no serious disease or insect problems, easily grown without special soil conditions or locations needed. Then, to keep up interest throughout the growing season, there had to be a sequence of bloom. She, being very feminine, always kept him on needles and pins for she would never agree to being away from home at any particular season. They both liked to travel, hence the garden should be of interest at all seasons.

She is an avid "arranger" and although he likes his plants to be kept just so, to keep her interest, he had to allow her to "prune" anything for use in bouquets in the house. This saves him work, gives her enjoyment, and frequently provides a good base for a hot argument! Some of the shrubs will grow out of scale and have to be kept down to a proper size anyway and this arrangement, although it has its ups and downs, works well in the long run and seems to keep arrangements indoors at all times. A few Leucothoe branches as a background in a bouquet outlast several arrangements of florist-purchased flowers in the foreground.

Watering was not a serious problem for the roof was without gutters and hence an ample supply of water always fell on the foundation planting during every rain. Even during droughts, when they were away, a neighbor or a daughter, would water once a week if it were absolutely necessary. (Some of the neighbors in this little "village" wanted to do a lot more than just water when we were away, but we felt their enthusiasm might lead to other problems so we let it go at just watering.)

To aid with the weeding problem, a mulch is always much in evidence, in our case peat moss, for it is easily obtained and easily applied. Actually, on his part of the garden (the foundation planting) he only had to weed twice-this past year-a total of two hours comparatively easy work. In her part of the garden (the woods) it seemed she was always fussing about when she was home, but he never did keep track of the amount of time she spent for he felt it would eventually prove wasted effort-although admittedly it has not been so yet. That woods garden with its rock plants, low shrubs and bulbs is very beautiful, and he is always hopeful that there is enough of interest there for the squirrels, chipmunks, rabbits, ground hogs, crows and pheasants, to keep them away from his foundation planting.

In our foundation planting (of only 300 square feet) there are approximately 200 different things. Admittedly every time we try to dig in a new bulb or perennial, we find something is already there, but usually we can squeeze an additional treasure in. An experienced gardener (and most grandparents are in this category) knows where to find lists of plants from which to select the proper ones. We have bloom from earliest spring, that is March, until Thanksgiving. She has her favorites, and although he may not think so much of some of them, they have to go in until that time when she agrees they "may" be a little out of place—then they are relegated to the woods. Whenever we agree that a plant is really out of place, grows too much, or neither of us likes it—out it comes. (It must be obvious to the reader that these two old codgers not only derive fun from growing the plants, but in spending a considerable time talking about them, and that is the case.)

Our suggestion is to list those plants you like, see if they fit into your scheme of things, then use them. The plants suggested here are certainly not the only ones by any means, but they are the ones we have chosen.

First would be the low woody plants. Dwarf white pine and dwarf hemlock both of which are important for winter interest. Leucothoe, warty barberry, Chamaecyperus obtusa 'Nana', mountain-laurel (it must be pruned), Pieris floribunda 'Millstream' is one of the low evergreens, Mahonia nervosa, Juniperus conferta (an excellent low ground cover), Gaylussacia brachycera the boxhuckleberry, the Wilson rhododendron which must also be kept rigidly pruned after it is through flowering, all are a few of the good evergreens to add year-round interest, especially during the winter. The yellow leaved Japanese barberry a deciduous shrub, is one of her pets and is always appearing in her arrangements for its excellent vellow foliage. He has inserted the red leaved 'Crimson Pygmy' as one of his, Cotoneaster horizontalis for its fruits, Rhododendron 'P.J.M.' which must also be rigidly restrained, are some of those included.

Such shrubs are not bunched in the planting, but distributed along where they will appear to best advantage.

By: Lorraine Burgess 202 Old Broadmoor Road Colorado Springs Colorado 80906 Photos: Guy Burgess

# Sno'Beautiful



## Flowers That Bloom in the Spring

ABOVE—Red Robin tulips race the snows to perform their celebration of Spring.

RIGHT—Red Emperor tulips, when in full bloom reveal a black, yellow-edged base. Early Flowering, it is a giant beauty.



It is wonderfully exciting to have flowers in your garden that are bold enough and strong enough to bloom in the snow. To achieve this smallscale miracle in February and March, you must plant at least a bushel of bulbs the previous fall.

Choose a sunny well-drained corner of your garden, and then forget them until you get anxious for the wonders of the new foliage year. Each bulb is a complete plant package in itself. It carries its own food and it will send out roots during the winter sufficient to take in from the soil the moisture it needs.

As a token gesture choose Snow Drops (Galanthus), also known as Christmas Bells in single or double forms. Tuck Grape Hyacinths (Muscari) under shrubs or on a rocky slope. M. azureum is a bright blue. M. botryoides album, a sparkling white. Plant the lesser-known Winter Aconite (Eranthus), a buttercup yellow in the shade of trees. Start with a dozen or two bulbs and, in a few years, by self-seeding you will have a whole colony of flowers. Aconite blooms so early it stands ready to greet the crocus, and it does not seem to mind bad weather.

Try some tiny squills (Puschkinia) with all-white flowers, or striped, to clear blue. P. libanotica grows with stalks of pale blue flowers in thicker clusters. Include wood hyacinths (Scilla hispanica) in white, pink, and deep blue as company for taller daffodils or tulips, or use the shorter S. siberica in a jeweled sapphire blue as a base for naturalized mass plantings. Spot some sweet-scented hyacinths among your other spring flowers. They and narcissi bring you the first sweet fragrance of spring. Hyacinths are available in an ever widening range of colors, white, yellow, Delft blue, purple, and more recently, bright red. Their flowers last longer than those of other bulbs, spanning the hiatus between the daffodils and the late tulips.

Toss crocus bulbs on your lawn, and then dig them in, where they fall, down under the sod. Select from white, purple, striped, and gold va-



Early blooming reticulata iris 'Cantab' does best in a sheltered corner, nestled in a cluster of dried leaves.

rieties. After they bloom allow the leaves to ripen so they may provide new food for the bulbs for the following year. After they turn brown you can cut the lawn without harming the crocus plants.

Plant daffodils on sloping ground in random drifts. If they are in welldrained soil and fertilized each spring, they will prosper and increase for years to come. Choose from white, yellow, even pink varieties in a myriad of standard and unusual forms, with long and short trumpets, and single or double petal groupings. Include Poetaz Narcissi and the hybrid jonquils. Find a place, close by the house, for miniature daffodils in cyclamen, trumpet, or bulbous hoop-petticoat forms.

Consider the unexpected beauty of the species Iris reticulata. Almost as early as crocus, they are hardy and bright in color. The basic color of the reticulata is deep purple, but there pale blues (*I.r. cantab*) and a mulberry (*I.r. Joyce*) for you to choose from.

Finally, welcome the tulip in all its wondrous variations. Start with the early-blooming species and botanicals (*T. persica*), (*T. dasystemon*), (*T. kaufmanniana*), (*T. clusiana*), and (*T. saxatilis*). From these small but colorful ancestors have come all the great hybrids of history, the Fosterianas, the fringed Crispas, the Darwins, the Oriental Griegii, the shaggy Parrots, the lily-flowering vase-shaped blooms, and the bunch-flowering Bouquet strains. No wonder the madness and the popularity associated with this favorite spring-flowering bulb.

Bulbs differ from other perennials in that their rootlets die back each year, with only the bulb surviving. Their growth cycle departs from normal, lasting only a short time in early spring. It is better to plant them apart from perennials that need much water in summer months, a time when the bulbs prefer dryer feet. Use them instead with blue fescue, vinca, or ajuga, ground covers that survive well with a minimum of moisture. The continuing life of a bulb is largely dependent upon the nature of its division (A hyacinth splits after the first year's bloom, forming new small bulbs, and does not bloom again for several years until the new bulbs have grown large enough for the cycle to repeat itself.) Because of the unpredictability of the tulip, it is generally grown as a crop plant, being lifted after bloom, and replaced with some kind of annual. Happily, most other bulbs live and increase with no more than a generous top dressing of richly-manured soil or other fertilizer. (Do not add manure to the soil as you plant the bulbs.) You are dealing with a renewable miracle, so enjoy the encounter, year after year.

## LOW MAINTENANCE GARDENING

### Continued from page 17

However, they are the first ones put in the foundation planting, for they are the most important. Then one considers the placement of the perennials and the bulbs. Both groups are essential for continuing interest and bloom.

Hostas, especially the variegated ones, we have included along with pachysandra and its variegated variety. Coreopsos auriculata 'Nana' is a good low plant with bright orange flowers for nearly eight weeks during the summer. Dicentra eximes blooms in our garden from June until frost. We placed it in front of the yellow leaved Japanese barberry where I thought it looked extremely well, but she informed me that the colors clashed, so it will be moved. Another little plant is Potentilla tridentala, with small white flowers and evergreen leaves which never grow over twelve inches tall, so for that reason we planted it on the corner of the border, in front.



Some of the taller perennials would include astilbe, Christmas fern (which we have planted in a prominent place where we can see it from the dining room all winter), Iberis sempervirens, Alchemelia alpina, Sedum spectabile for its large flower cluster in the fall, Liatris, the gas plant, Maries' balloon flower. She simply had to have the oriental poppy from her old garden, but I think it is too large for its spacehowever it stays. Coral bells, Aster frikartii, meadowsweet, leopardsbane, pink yarrow, Veronica longifolia and even Hemerocallis, are fitted in at proper places.

Naturally there is room for a few speading ground covers, for this aids in reducing the space for weeds. Violets are always a good selection for some bloom a long time. The Euro-

pean wild ginger (Asarum europeaum) has evergreen leaves, is only about six inches tall, and spreads thickly and slowly. Myrtle is good, but can't be allowed to spread to much. Moneywort or Creeping Charlie has merit, and there are several colored forms of Ajuga that can be placed here and there under some of the woody plants. As they increase, they are dug up and placed to augment the woods planting. Galax, a charming little evergreen from the South finds a small spot in the shade, and Bishop's hat or Epimedium is placed near the hemlock where it is always a dense mass of foliage. One or two copper colored forms of heather have been included, but though certainly colorful, are not happy with our winters. Christmas rose is another little plant right outside our dining window where we can see it doing its thing even when surrounded by snow.

When these plants, and many others are arranged and planted, then it is time for the bulbs, for these bring flowers early in the season before other plants are off to a good start. Snowdrops, grape hyacinths, scillas, various crocus varieties and the lower growing narcissus are some. Especially included, near the front of the planting are several clumps of the very low and diminutive Narcissus asturiensis which is always extremely interesting in the early spring for it blooms at about the same time as our specimen plant of Adnois amurensis. Double bloodroot is given a special spot at the borders edge in front of the dwarf white pine. Lilies in the background and a few ornamental oinions lend summer interest and fall crocus surprises us every autumn with its unexpected appearance.

An interesting low maintenance garden can be planted and be easily maintained by tired, worn out, grandparents. It does not include much effort on their part, only some careful and experienced selection. All grandparents are experienced and growing a few plants can help keep them young in spirit for many a year to come!



## BONSAI

Clifton Pottberg, President Croton Hill Farms, Inc., Sparks, MD.

The choice is yours. Bonsai can provide you with a hobby, a totally engrossing pastime, or a way of life.

The job of learning the particular synthesis of art, technique, craft and science that is bonsai is not simple. But it is straightforward and highly rewarding. Many of the techniques used are applicable to other aspects of gardening. The creation of satisfying bonsai is not something requiring many years to do.


What is bonsai? In Japanese, bonsai means "tray planting". The word used to be hachi-no-ki, meaning a "potted tree", and it implied a trained tree in a pot. The word bonsai was invented to distinguish the trained tree which looks like a natural big tree, from a tree trained in any other way, which might look like an ideograph, or a pompommed topiary, or whatever. Bonsai is not bonsai if it isn't in a pot.

Basically, bonsai is the creation of a model—not a duplicate—or the shape of the adult, mature tree (or trees, or total landscape) in miniature. Living plant materials are used as the medium of expression, and are potted in a container which is visually compatible with the plant. Even this explanation is a vast oversimplification, but it is useful for our purposes. The job is too big if we concern ourselves with the additionally important and fascinating study of Japanese philosophy, or the onion layers of significance which attach to any form of beauty, abstract or otherwise. In this article, we will only attempt deciphering the "how to" of the art.


In styling a bonsai, we change the shape of the small tree to make it fool our eye into thinking it is a larger tree, out of perspective. To do this, we must discover how a mature tree differs from a young tree. The ways are numerous; here are a few:

• Leaves and secondary branches are much smaller relative to the overall size of the tree (we can't duplicate the smallness in bonsai, but we can dwarf the leaves significantly with proper culture after a few years).

• The trunk is generally thicker relative to the height and the branch thickness. We can't magically increase the trunk thickness if we wish a quick bonsai. We wait several years for the trunk to thicken while the plant is growing, often leaving it in the ground for that purpose. Or we can cut back and reduce the height of the plant relative to the trunk thickness.



JUNIPER BONSAI—one of the priceless collection of 50 Bonsai plants presented to the American people by the Nippon Bonsai Association of Japan to commemorate America's Bicentennial. The collection, housed at the U.S. National Arboretum, Washington, D.C., is expected to be a major showpiece during our Bicentennial year.



• There is more taper to the trunk.

· Roots form a strong buttress at the base of the tree.

• The bark is more gnarled and rugged (this is also developable in bonsai, but it takes time).

• There is generally more branching. In many evergreen conifers the branches actually descend. In other trees the final form is what is termed "broom style", an upside down broom shape, typified by the American elm.

• Both forms are rarely found among young trees but are duplicable with training in bonsai.

• The apex of the tree is not fast growing and pointed but slowed and rounded or occasionally almost flat.

• The foliage is usually fuller, and on the conifers, the foliage of each branch is layered with a flat, frond-like effect.

Obviously, the more differences between young and mature trees that we discover and use; the more graceful, rough, majestic, strong, old, large and beautiful we can make the little plant look, the better.

To use these variances in shape to transform the small plant actually requires only elementary horticultural theory. In pruning and shaping the plant, the basic pruning techniques of thinning and heading are selectively used. They are also combined with a technique of shaping wherein copper or other soft wire is wound spirally about parts of the tree to bend them to new shapes. So the process of shaping a bonsai is relatively simple. Let's explore it.

We can start with a seedling, cuttting, or grafted plant, and train it by frequent pruning and occasional wiring as it grows. We can also take a larger plant and prune it back and wire it. The first method is slow, but such training from the beginning often gives better results. The other is faster and can provide us with a larger bonsai. Sometimes naturally dwarfed plants can be found in the wild which can be made into masterpieces quickly. In this article we'll take a piece of nursery material or a similar plant and analyze the components of the work of styling it into what looks like a large tree. The result will not be a finished product, for the refined appearance of bonsai will take some time after the initial styling to develop; a better term is "bonsai in training."

Since every side of every potential trunk line is different, a side which looks best must be picked to be the front of the tree. If the tree has many upward growing branches, we can select a branch to continue the line of the lower trunk, cut off the trunk above it, and wire the branch into a new position. Often in this way the height of the tree can be reduced, not only increasing the apparent thickness of the trunk, but the taper as well. If there are flaws in the shape of the trunk, we can possibly change it now with wire or hide the flaws with foliage. In general, the line of the trunk, which is the unifying force of the whole tree, must itself be a unity. It must be graceful and strong in appearance and maintain the same type of curves along the whole length of the trunk. If part of it is angular for example, it all must be angular, rather than part being



Author winds tree with copper wire to achieve desired shape. Note how severely the limbs have been pruned.

angular and part being straight, or gently curved.

The look of the root structure and the position of the roots around the trunk must be taken into account. If the roots are crossed or uneven, or there are few visible roots, perhaps most of them being behind the tree, a new root system must be grown, or a new front of the tree found. Of course, with some plants, a new surface root system grows quickly, and we needn't worry about the appearance of the roots. These types of trees, which include several junipers, result in an easier job of making bonsai.

The next step is to pick the branches which will remain, and prune away the rest. This is perhaps the most difficult step. Branches must be chosen which are healthy, with thicker and longer basal branches. They must be picked in such a fashion as not to suggest a man-made pattern of branch placement. The object is to create a feeling of three dimensionality to the tree without hiding too much of the trunk. Branches should not be equidistant nor one directly over another. To aid the student, the Japanese have devised a rule which we call the "rule of three" in branch placement. Basically it is the picking of branches in groups of three in the following fashion: one, more or less to the side of the tree, one, more or less to the back, and the next to the other side, in ascending order. The process is then repeated. This is a rule of thumb which considerably reduces the memory burden of the student when trying to sort out the branches.

After the excess branches are pruned away, the remaining ones will be wired and bent into their new shapes. If we have decided to simulate the shape of a mountain pine, spruce, or fir, the branches are gently bent down



After roots are pruned, the "bonsai in training" is placed in pot.

from the trunk to resemble the aged droop of the branches of the mature tree. Further pruning of the foliage, cutting back of the branches and secondary wiring follows to finish shaping the foliage and to complete the basic styling. Later, when new growth occurs which is out of harmony with the shape we wish to maintain, it is pinched off when young and tender. This pinching off also helps to refine and fill out the foliage.

Once the top of the plant has been shaped, the roots must be pruned to fit in a pot. The pot should be chosen carefully. It must be able to hold enough root system to nourish the plant and to keep the composition from looking top heavy. On the other hand, if the pot is too large it will decrease the apparent size of the tree. Further, the color of the pot must not detract from, but rather accent any color interest of the tree. This is especially important since we see color before form, and bonsai is primarily an art of form. This is why so many unglazed brown pots are used for bonsai. Like the frame to a picture, the function of the pot is to harmonize with the lines and curves and rhythm of the tree. Unlike a frame, it is not there just to delineate the visible part of the landscape in which the tree is growing, but also to suggest the rest of the landscape beyond the pot, thus creating an "unstated element", which adds so much to oriental art. Of course, the use of the unstated element is just as important as the tree itself.

After the pot is prepared with potsherds or screen over the ample drainage holes, a large particled bottom drainage layer is added. The roots must be carefully pruned to fit in the pot. The tree is placed so that it and the pot are in balance (not symmetry) to create a unified composition. Soil is then settled around and among the roots and a layer of topsoil is added to support moss or other small ground cover. Finally the whole is carefully but thoroughly watered.

After potting, a two week rest period in the shade follows for the tree. During this time, syringing is especially important. Transpiration and its resultant water loss must be held to a minimum to avoid more strain on an already severely weakened root system. But shortly, if the soil was well chosen, and kept moist, the roots will begin growing again, creating many new water absorbing root tips, and the plant will revive.

In bonsai, the soil which is used must have properties very closely matching the optimal conditions for health of a given plant. The major necessary qualities are: fast drainage, relatively low water retention, aeration, a correct acidity balance, and sharpness of soil particle edges. All of these factors promote root health and a maximum number of root tips. Often a bonsai tree is healthier than its counterpart in the ground, where less than perfect soil conditions usually exist.

One successful soil mix used by many bonsai hobbyists is nothing more than a mix of large particled sharp sand, and clay granules used as a litter in cat pans. A caution here: a few brands of cat litter are not baked at a high enough temperature to maintain their granular consistency; a few others will list dangerous chemical additives. Decomposed granite, where available, is also used as a base for the soil mix.

Nutrients are obviously important too, but they were omitted from the list of soil requirements since they may be added gradually later. In fact, metering food to a totally non-nutritive soil allows us to give the plant exactly the amount necessary to sustain maximum health, without much growth occurring. However, it is even more important to use slow release fertilizers for bonsai than for other plants. The bonsai roots are confined and thus susceptible to injury. For the most part, any slow, gentle, general purpose fertilizer used at about half normal strength, will do. The feeding schedule should start in early spring, and continue through mid-summer and then stop. This will help avoid causing any late growth which may not have time to become cold hardy by the first frost.

If adequate protection is given the bonsai during each winter dormancy period: if it is fed and watered carefully; pruned when necessary; if the wire is removed before the cambium grows out around it; the tree will continue to improve aesthetically indefinitely.

Some plants, like the poplar, have short life spans and shouldn't be used. Even when those plants with other poor qualities, e.g. leaves that are too large, are culled from the list, the number of good plants for bonsai remains great. Even indoor tropical plants can be used for bonsai. They may not always live as long as outdoor bonsai but still make excellent material.

## Native Azaleas

Oconee hybrid (Judge Reynolds)

Rhododendron calendulaceum (orange)





I find my favorite is the plant that may be in bloom at a particular season or the one that I happen to be looking at at the time. A garden cannot be made up of just one plant or a group of similar shrubs. Each plant has its own features of importance during the year. A garden would be incomplete without using hollies, particularly for the winter season for their glossy, evergreen foliage and attractive fruit. Nor could one assume that a garden be complete without good ground covers, such as pachysandras, Rohdea japonica, the asarums or many other favorites. I do feel that native azaleas often have been overlooked in the past and are certainly one of our more attractive groups of native plants. With the rapid expansion of our cities and development of our rural and wooded areas, we find that the native plants are being destroyed and lost for the future.

As gardeners and conservationists, we need to become aware of our rich native flora and take advantage of the beauty it offers.

While many of these plants are not generally available in the nursery trade, they can be propagated by seed, root cuttings and other methods.

Native azaleas are not adaptable to all parts of the country due to hardiness and soil acidity requirements.

Several species such as *Rhododendron nudiflorum*, *Rhododendron calendulaceum*, *Rhododendron bakeri*, and *Rhododendron vaseyi* are hardy to Zone 4 and 5 while the southern species may not be adaptable beyond Zone 6.

I would never attempt to pick my favorite azalea species from the fifteen or more indigenous to the United States. Each species becomes my favorite while it is in bloom with its colorful flowers, filling my lungs with its delicate fragrance or noting the colorful foliage in the fall.

Botanists and horticulturists often disagree on the identification and classification of the native azaleas. Needless to say they are members of the genus Rhododendron. I prefer to be called a "lumper" rather than a "splitter" in trying to classify or name every color form due to the variability of each species or from the numerous natural hybrids often found in the eastern United States. The following discussion of native azaleas is based on the sequence of flowering at Callaway Gardens in Georgia and may vary some each year or may not be the same in other climatic areas.

Early spring flowering species flowering before or with the new spring leaves:

Rhododendron canescens, the Piedmont or Florida

Fred C. Galle, Director of Horticulture, Callaway Gardens, Pine Mountain, Ga.

Rhododendron prunifolium



pinxterbloom, native of the Southeast, with its fragrant flowers varying from pure white to light pink, is certainly a welcome sight in the early spring.

*Rhododendron austrinum,* Florida azalea, is a southern counterpart of the above and equally noted for fragrant yellow flowers.

#### Mid-spring azaleas flowering with the new foliage:

*Rhododendron speciosum,* the Oconee azalea is a variable species found in a narrow band across the State of Georgia and extending into Alabama and South Carolina. This species is not well known and varies from orange to brick red. It hybridizes readily with other southern species, producing some very attractive and indescribably lovely colors of yellow, peach, pumpkin, deep rose and pink. The Oconee azalea is not fragrant, but many of the hybrids are delightfully fragant. This plant is adaptable to summer droughts and other unfavorable sort of conditions. However, one should not expect to ignore a drought tolerant plant, for it will require the same watering and care as other plants after transplanting until it gets established.

Rhododendron nudiflorum, pinxterbloom azalea is valued for its cold hardiness and its enticingly fragant white to pink flowers. Rhododendron roseum, the Pink Rhododendron calendulaceum (yellow)



Shell azalea, is a very similar species and noted for the clear shell-pink, fragrant flowers.

Rhododendron atlanticum, Coastal azalea, is a low stoloniferous plant, usually three feet or less in height. The fragrant white to pink flowers are noted for their glandular pubescence. Both *Rhododendron nudiflorum* and *Rhododendron viscosum* are also generally stoloniferous in habit of growth and stoloniferous forms of azaleas have been found in other species.

Rhododendron alabamense, the Alabama azalea, with its fragrant lemony spiced flowers, are white with a very prominent yellow blotch. This species is typically a low plant, seldom seen in the wild, and hybrids are generally medium to tall shrubs with the spicy fragrant flowers varying from white to shades of pink.

Rhododendron vaseyi, the pink shell azalea, is a high elevation plant, native to a few counties in North Carolina, but found adaptable to lower elevations, contrary to many other mountainous plants. Its fragrant pink flowers are very attractive and lack the distinct floral tube as on most other species. A white flowered cultivar, 'White Find', is available in some nurseries.

Rhodora, Rhododendron canadense, is similar to the pink shell azalea with the floral tubes divided nearly to



Azaleas and dogwoods are among Spring's first introductions, offering vivid color and dancing light. Brookgreen Gardens, Murrel's Inlet, S.C.

the base. The flowers vary from rose-purple to white. Rhodora is native to the east coast of Labrador, south to New Jersey and is generally difficult to grow in the South.

Late spring or early summer flowering, after leaves are developed and before new flora buds are formed:

Swamp azalea, *Rhodedendron viscosum*, is variably stoloniferous. The fragrant white to pink flowers are noted for their long slender tube and pubescent twigs.

Sweet azalea, *Rhododendron arborescens*, is often confused with the swamp azalea. The fragrant white flowers and reddish stamens, plus smooth stems are distinguishing characters. In the south there is a later flowering form of this species flowering with Plumleaf azalea in early summer.

Rhododendron calendulaceum, the flame azalea, is probably the best known species. The large non-fragrant flowers vary from clear yellow to orange and red. Two flowering phases are often reported, the early phase occurs at lower elevations of the Appalachian Mts. and is often lighter in color, while the late flowering phase is usually dark orange to orange-red and found in higher elevations. John Bartram wrote "This is the most gay and 'brilliant flowered shrub known."

Late flowering in early summer after the winter buds are at least partly formed:

Cumberland azalea, *Rhododendron bakeri*, follows the flame azalea in flowering. The non-fragrant small flowers vary from orange-yellow to red. The plants are found in open woods at high elevations of the Cumberland Plateau in Kentucky, Tennessee to the mountains of North Georgia and Alabama.

*Rhododendron serrulatum,* hammock-sweet azalea, is a close ally of the swamp azalea from the Southern Coastal Plains. The small white flowers have a delightful fragrance.

The late flowering phase of sweet azalea, *Rhododendron arborescens,* indigenous to the south flowers in July in central Georgia.

The distinctive plumleaf azalea, *Rhododendron prunifolium*, is indigenous to a small area of southwestern Georgia and adjacent to Alabama. The non-fragrant flowers borne in July and August are predominantly redorange to red, with lighter shades also found. This species, along with other southeastern azaleas, has proven to be hardy far north of its native range.

The handsome western or Pacific azalea, *Rhododendron occidentale*, is a challenge for the eastern gardener with very few successful reports. However, in the west it has few rivals, with its large, fragrant, white to pink flowers.

The native azaleas are excellent for light shade, for a shrubbery border or a woodland garden. The late spring and summer flowering species respond to morning sun and protection from the midday and afternoon sun. The flowers on those late flowering species will retain longer on the plant. Native azaleas, as with other plants, require good planting soil preparation, being sure of adequate drainage, and sufficient organic matter. Avoid deep planting, for azaleas are shallow rooted.

Collected plants from the wild should be cut back to compensate for loss of roots in digging. Wild azaleas in the woodland often have a very sparse root system. To prove this point a 6-8' azalea was dug with a 6' ball, far larger than normal. In exposing the roots it was estimated that only 20% of the roots were with the plant. The plant was cut back to 12" and heeled-in with shredded pine bark. New shoot growth developed rapidly, also a complete new root system of fine hairy roots. An acid base fertilizer should be used and would start with a 10-6-4 analysis for the first several years. Soil tests are very inexpensive and should be used on an established planting to find out nutrient requirements. While native azaleas are a challenge to find, four or more species should be used in the same garden to extend the floral season. The deciduous native azalea can be combined well with the introduced evergreen azalea and rhododendron and compliment many other flowering shrubs and trees. In the woodland garden they combine well with all other shade loving native woody plants and herbaceous plants such as dogwoods, oak-leaf hydrangea, kalmia, ferns, trillium and many other excellent native plants.

28

## This amazing cart has wheels So big... it seems

## practically self-propelled!

## Now handle large loads with incredible ease!

How would you like one of these big handsome carts to roll around at your place? The marvelous new "Model 26" Garden Way Cart lets you easily carry

- 5 bales of hay! 5 trash cans!
- 400 lbs. of rocks or soil Firewood
- Heavy bags of lime Garden tools in 1 trip!

The secret's in the extra-large 26" pneumatic tired wheels with ball bearings, which make rolling heavy loads a breeze—even over rough, rocky ground or through soft sand!

This new jumbo-sized cart is the culmination of 20 years of cart research. It has the largest carrying ability of any cart or wheelbarrow available for home or business use.

- Carry 10 times the load of a regular wheelbarrow!
- So easy to handle, so perfectly balanced you guide it with Just ONE HAND!
- Actually feels lighter when it's fully loaded!
- Loads won't fall out forward.
- Tips down to take on heavy loads without lifting!

- Two wheels instead of one keep loads from tipping sideways.
- Special stand straddles rows in the garden, without damage to plants.
- Stores easily on end, saves space.
- Just so useful, you'll wonder how you ever did without it.
- Special wide hub steel wheels to handle heavy loads.
- At last—the perfect big cart for lawn, garden use!
- Send for FREE CATALOG with all the specifications, sizes and prices.

Garden Way Research 
Charlotte, Vermont 05445

## GARDEN WAY RESEARCH Dept. 64403 Charlotte, Vermont 05445

Please send your FREE CART CATALOG, including details on the inexpensive Build-ityourself KIT FORM.

Name

Address

Zip

## HOUSEPLANTS





Text and Photos by CHARLES MARDEN FITCH Talisman Cove Mamaroneck, N.Y. Light for our houseplants comes traditionally from the sun. The task of keeping tropical plants warm while still providing adequate light has occupied horticulturists since the Romans grew fruit trees in sun beams coming through the crude glass windows of stone buildings. More recently glass or plastic greenhouses, acrylic skylights, picture windows, and similar modern structural advances help us provide bright light for indoor plants.

## Artificial Light

Artificial light will help you grow plants indoors where light is now insufficient. I have been growing plants under various combinations of light sources for more than 20 years. Some of my houseplants, hemerocallis seedlings, spring bulbs, and summer annuals are grown in a dark basement where they receive only fluorescent light.

Many orchids in my lean-to greenhouses are grown with a combination of direct sun and fluorescent light. Still other tropical plants receive only diffuse sun and thus depend on supplemental light from broad spectrum fluorescents for sturdy growth.

## **Foliage Facts**

Foliage plants such as Monsteras, Philodendrons, many ferns, Syngoniums and similar selections adapted to life in dim jungles will do quite well indoors with low levels of diffuse sunlight. Providing artificial light for foliage plants, in rooms where daylight is available, will serve to promote compacter growth and provide dramatic theatrical lighting at night.

## Natural Habitat

Several months ago I returned to the Amazon basin and during the course of study measured the variation in light intensity between the jungle floor and a jungle clearing. Within the jungle, at the level of many foliage plants we grow indoors (philodendrons, syngoniums etc.) I measured about 25 footcandles, on a cloudy-bright day. Walking a few yards into a clearing, where sunlight came directly through, I found 3,200 footcandles!

Some of the plants we enjoy in captivity actually receive a combination of these extremes, but with one or the other intensity dominating. For example the marantas and episcias I observed grew where, for short periods each day, the sun shone on them directly. The rays came through open patches in the cover or the plants grew along the edge of a clearing, perhaps on a river bank, where early morning sun could reach them directly.

However the actual duration of direct rays striking the foliage was but a few minutes. Soon the forest floor plants were in diffuse light, sometimes in very dim light, for the rest of the day. Naturally you can save electricity and still have beautiful plants if you pick species with such low light requirements for placement indoors where light is dim.

#### Incandescent Uses

I would not wish to grow houseplants under pure incandescent light for several reasons. Most importantly the efficiency of incandescent light distribution, per watt of energy required, is way below that of fluorescent tubes. Think about how much light a 75 watt flood provides compared to even a single 40 watt fluorescent tube (48 inches long). Excessive heat from incandescents is another reason to avoid trying to grow plants with these bulbs as the only source of light. The reflector floods and spots do have a real value for plants indoors; they are excellent for theatrical lighting, to create dramatic shadows, to illustrate your favorite plants at night.

For all indoor trees and vines directional incandescent lighting is easier to control than fluorescent. The beam of an incandescent lamp carries better than the diffuse light from a fluorescent tube. The incandescent lamps also fit into many types of decorative ceramic-based fixtures which are suited to modern decorating plans.

Use incandescent lamps to supplement daylight around tall indoor specimens; palms, scheffleras, large coffee trees, big monsteras. Such dramatic living decorations will benefit from 10 to 14 hours of incandescent light each day. You will find this system working well in office buildings where tall accent plants survive many months with no direct sun.

The office plants, even those sometimes replaced by interior decorating firms, stay attractive with a combination of incandescent lights, fluorescent fill lights, and in a few cases some diffuse daylight. Direct glare from the overhead fluorescents is usually avoided by covering the fixtures with wedged louvers or frosted plastic shields. These same glare reducing items can be used in home situations.

## Rotation

Of course some large offices contract horticultural decorating firms to continually rotate plants in public places. By rotating their rental 31 specimens a contracting firm can keep them in a healthy condition with occassional growing periods in an ideal environment. This same idea is useful when you are growing houseplants. I grow many species under lights in the basement or below benches in the greenhouse. When the specimens are in bloom or perfect leaf I display them for maximum appreciation. Even though a display area may have less than ideal light and humidity, the plants will not suffer unduly if they remain in such a location 4 to 6 weeks.

Rotation is especially practical with houseplants under lights since the most efficient growing systems are not the most attractive. Bright four to six lamp fixtures over moisture trays, three or four tiers tall on a big frame or cart, are not easily integrated into a livingroom or den decorating plan. In the basement or spare room you can have an extensive efficient light garden with the main consideration being practicality and ease of care rather than aesthetics.

For example growers of succulents and bromeliads report excellent color and plant habit with Vita-Lite lamps. Orchid growers are enthusiastic about Wide Spectrum Gro-Lux. Recent reports give good reviews to Agro-Lite tubes. There are still more types of fluorescent lamps, some of them designed for other applications but now offered for horticultural use.

Incandescent bulbs used to be mixed with Cool White or Warm White fluorescents to furnish more of the red-orange light plants need. Since broad spectrum horticultural lamps were introduced I find it is not necessary to mix incandescent bulbs with fluorescents in order to obtain maximum growth and flowering on tropicals.

## What's the Difference?

The major difference between fluorescent lamps in the home is their visible color. For foliage plants and many medium light level species of gesneriads and begonias I note satisfactory growth under a combination of Warm White with Cool White lamps. However for orchids, succulents, bromeliads ready to bloom, and similar flowering plants I see better growth, more flowers, with the broad spectrum lamps. This is even more important for indoor plants which receive no sun at all.

Which broad spectrum lamp you prefer depends upon the color you like. If you wish to light plants in a livingroom or to supplement window light without changing the foliage color or flower hues, choose a lamp with daylight color temperature. Two currently available are Vita-Lite of Duro-Lite Co., and TruBloom of Verilux Co. Both have the color of noon daylight. Sylvania's Wide Spectrum Gro-Lux and the newer Agro-Lite of Westinghouse are excellent broad spectrum fluorescents with slightly pink light but still suitable in living areas. The standard Gro-Lux lamp, recommended by Sylvania for starting seeds and growing many indoor plants, has a rosy glow which enhances flower and foliage color.

Pinks and reds vibrate under standard Gro-Lux, and Rex begonias show colors never seen in daylight. The rosy-pink light is theatrical and I think fun to use but this is not the lamp for your livingroom or bookshelf garden if you insist on perfectly natural colors.

Back left. S. 'Ophelia', Begonia bowerae nigramarga. Front left Saint. 'High Stepper'. Front right S. 'Astro Pink'.





This shelf garden has mirror coated parawedge louvers just under the lamps to stop glare. Plants are Asparagus at left, begonias, dwarf gesneriads, planted in waterproof tray.

### Maximum Success

No matter which lamps you choose or what plants you enjoy growing there are some basic energy saving steps to increase light gardening pleasure. You will be able to initiate at least several of the following procedures to maximize success and to minimize electric bills:

1. Use lights for dual purposes. A room can be pleasantly lit with the same lamps used to grow plants on a bookshelf or table.

2. Capture all available natural light by locating light gardens near windows, skylights, even by glass basement doors.

3. Install an efficient timer to provide automatic regulation of the daylength.

4. Arrange for reflective surfaces around your light garden so all the light produced will be best used. In bookshelf gardens paint back, bottom, and sides with flat white paint or install mirrors to double the view while reflecting light rays. Elsewhere use aluminum foil or durable reflecting materials such as Roscoflex which can be glued, stapled, tacked, and washed. (Rosco Labs, Port Chester, N.Y. 10573 will send sample book of reflective materials for \$1.50).

5. Provide fluorescent lamps in light garden carts or bookshelf gardens instead of less efficient incandescents. Save incandescents for lighting after dark, especially of dramatic tall specimens.

6. Install broad spectrum fluorescents which provide the best utilized colors and keep plants close to the tubes for maximum light absorbtion.

#### Further Details

These are but a few ideas for enjoying your houseplants and producing maximum flowering. For sources of supplies, nurseries that offer rare tropicals, and an extensive presentation of this subject please consult "The Complete Book of Houseplants Under Lights" (Hawthorn Books, 1975), a volume I wrote especially for enthusiastic gardeners such as fellow members of the American Horticultural Society. You might also enjoy membership in the Indoor Light Gardening Society.

ILGSA, Inc. c/o Mrs. James C. Martin 423 Powell Drive Bay Village, Ohio 44140

Continued on page 39

## a sleeper...

Have you tried a fruit clamp lately? Know where to buy an apple sleeve? Eaten any sugared herbs or a fresh jujube?

Ever hear of a Callery pear, a collar daffodil or a nut called a hican? Care to grow a scented lawn, a porcelain vine or a newly discovered annual called "meadowfoam"?

Need to find a list of connoisseur perennials or a source for plants nobody on the block grows? Know what's "in" and what's "out" in houseplants?

Are you familiar with the Minnesota Tip" for wintering roses? Do you know how to have sweet corn ready for picking by July 4? Ever tried the French Intensive Method of raising lettuce? Tried licorice root mulch or black gravel on tomatoes? Know any strawberry shortcuts?

"The Avant Gardener – A Handbook & Sourcebook of All That's New & Useful in Gardening", published by Houghton Mifflin Co., is a sleeper that will make you think you're Rip Van Winkle.

The year of the garden boom has found a proliferation of gardening books published. Thank goodness this one doesn't fall into the common garden variety: the ego-trip written by a little old lady whose thesis encompasses the gems she's grown on her kitchen window sill, or the academic putdown written by a know-it-all horticulture professor outlining the same "howto, now-is-the-time-for" rehash, as if all his readers are blooming idiots whose best medium for learning is repetition and whose main learning resource is Sesame Street.

Any book that can inspire its reader to dream up a new garden gadget – and "The Avant Gardener" may well have this effect on some – has got to be a real gold mine of information – none of it moldy.

The book's strength is in its swift newspaper style – no long orations on the technical aspects of growing, just the latest scoop. It beats the yellow pages as a source for finding things...

If you want to keep up on what's new in gardening, there's not a better book out... - Mary B. Good, Garden Editor, Paddock Publications.

"The Avant Gardener – A Handbook & Sourcebook of All That's New & Useful in Gardening", by Thomas and Betty Powell, 263 pages, large 7 x 10 format, lavishly illustrated, \$6.95 paperback, \$12.95 hardcover, is available postpaid from:

THE AVANT GARDENER Box 489, New York, N.Y. 10028

33

## The Nona Whitney Evans Memorial Reading Garden

Richard T. Isaacson Librarian Garden Center of Greater Cleveland

Outside The Garden Center of Greater Cleveland's library is a small, beautifully designed garden, The Nona Whitney Evans Memorial Reading Garden. Dedicated in 1972, this garden was given in memory of Nona Whitney Evans by her parents, Raymond and Elizabeth Evans. Mrs. Evans has stated in a brochure on the garden, "The design and planting plans were devised to enhance The Garden Center grounds and provide beauty for all the senses. Each plant, shrub and tree has a 'raison d'etre'-beauty of shape, texture, odor, blossom or berry. Each has a history of its own, having been observed elsewhere in gardens somewhere across the U.S.A. and usually documented and photographed in its original location. The plant material is mostly unique to this area and will hopefully give pleasure and ideas to all garden lovers."

The garden includes a vinecovered pergola, airy gazebo and many redwood benches for reading and reflection. The trees, shrubs, perennials and ground covers often lead gardeners into the library for more cultural and historical information on the plants. Throughout the growing season, gardeners of the Cleveland area can study the uncommonly grown plants described below.

The earliest tree to flower in the garden is the Yulan magnolia, *Magnolia denudata*. A native of China, this upright growing magnolia has creamy white blossoms that appear about one week ahead of the more common *Magnolia x soulangeana*,

the saucer magnolia. Another of the garden's magnolias, the later flowering Magnolia virginiana or sweet bay magnolia is the type-species of Linnaeus's genus Magnolia. A typespecies is the plant for which the whole genus is named. The sweet bay magnolia was introduced in Europe in 1688 when John Banister shipped a specimen to Henry Compton, Bishop of London. Magnolia virginiana is hardy to zone 5 being native to the Atlantic coastal plain from Massachusetts southward to Florida. In the north it is usually a shrub or small tree but from the Carolinas

southward it often reaches the height of 75 to 100 feet. While flowering is often extended its main flowering period is in early July.

Two selected hybrid dogwoods, Cornus florida 'Cloud Nine' and Cornus kousa chinensis 'Milky Way' blossom following the Yulan magnolia. Both have large creamy white bracts and are more showy than the native dogwood species. Styrax japonicum, the Japanese Snowbell, resembles its American relative Halesia carolina. This short, spreading tree is attractive year around but when in flower in June with its clusters of 3 or 4 fragile, white, bellshaped flowers it is one of the most beautiful of all small flowering trees. Halesia carolina, very popular in the southeastern United States, is uncommonly grown as far north as Cleveland. This more upright growing tree has similar white, bellshaped flowers, but they are borne earlier in the spring before the leaves appear.

Many trees when grown out of their natural hardiness range will remain small or shrub-like; the lapanese stewartia, Stewartia pseudo-camellia, is one. In the reading garden this 60 foot native of Japan has formed a short, spreading shrub with camellia-like flowers (See American Horticulturist Vol. 54, #6 Winter 1975). Flowering in July, this is one of the more showy summer trees. Oxydendrum arboreum or sourwood is becoming more commonly grown as an ornamental tree in Cleveland on its northernmost range. Also summer flowering, the white, one-sided racemes persist into the fall when they vividly contrast with the bright scarlet foliage.

The-fall flowering Franklinia alatamaha with its showy, fragrant, white flowers blooms over an extended period from mid-August until frost. Native to Georgia, it was collected by John Bartram in 1770 and sent to his garden in Philadelphia. It was last recorded on its native site in 1790 when Dr. Moses Marshall of Philadelphia visited its restricted range. An unusual evergreen tree that adds interest throughout the year is Pinus densiflora oculus-draconis, the dragon's eye pine, which has needles with cream bands that gives it the appearance of a variegated pine. Other trees in the garden include Carpinus caroliniana (American hornbeam), Evodia danielli (Korean evodia), Cornus florida pendula, and Quercus prinus (chestnut oak).

The earliest flowering shrub in the garden is the dwarf fothergilla, *Fothergilla gardenii*, with its small spike-like, delightfully fragrant flowers which appear before the leaves. Growing 3 feet tall, this native southeastern United States shrub was discovered by Dr. Garden of Charleston. Named after Dr. John Fothergill, a London physician and avid plant collector, this low growing fother-



One of the many areas to rest and read in the garden.

gilla turns a brilliant deep yellow in fall. The fragrant viburnum, *Viburnum carlesii*, is endemic to Korea and is one of the first viburnums to bloom in the spring. Although only introduced to the West at the turn of the century, this viburnum has an oldfashioned quality to its bloom and habit which makes it one of our most popular viburnums.

The selected hybrid azaleas such as 'Rosebud', 'Snowball' and 'Old Gold' were carefully chosen for their vigor and flowering habit. Azalea 'Old Gold' planted outside the library windows, carries outside the warm golds and greens of the decor of the library. In dense shade under a large tree one of the summer flowering shrubs, Hydrangea quercifolia, or the oakleaf hydrangea, with its cool hued, panicled blossoms makes an effective late summer showing. Discovered by John Bartram in the southeastern United States, this hydrangea is one of the more adaptable hydrangeas being tolerant of shade and also of more sunny conditions.

Abelia grandiflora or glossy abelia is one of the most floriferous of flowering ornamental shrubs. This abelia grows to 4 or 5 feet with semievergreen, glossy leaves and delicately shaded flowers which appear from June to November. It is a shrub that should be more widely grown. Other shrubs include the rare Lindera angustifolia, Buxus microphylla compacta, Euonymus nana turkestanica, Stephanandra flexuosa incisa nana, Enkianthus campanulatus, and Neillia thibetica.

Because of the growth in popularity of ground covers, many gardeners find this garden's unusual ground covers of major interest. Ground covers include such species as Ceratostigma plumbaginoides (leadwort), Vinca minor alba (white myrtle), Potentilla tridentata (threetoothed cinquefoil), Polystichum acrostichoides (Christmas fern), Liriope regale (regal lily-turf), Asperula odorata (sweet woodruff), Iberis 'Autumn Snow' (candytuft), Geranium sanguineum (cranesbill), two species of the barrenwort Epimedium niveum & roseum, Chrysogonum virginianum (golden star), selected heathers including Calluna 'Mrs. J. H. Hamilton' & Calluna vulgaris 'Else Frye', and Asarum europeum (European wild ginger).

Geranium sanguineum or cranesbill is especially effective forming a spreading dense mound of fine textured foliage. The small, pink blossoms with their delicate tracings are included in the vine collection.

Other specimen perennials include the use of *Primula* 'Nosegay' hybrids & 'Pacific' hybrids under the pergola and specimen plants of *Paeonia suffruticosa*, white-spiked snakeroot (*Cimicifuga racemosa*), and many *Campanula* species.

All these plants and many others can be observed and studied in this attractive garden. The Nona Whitney **Evans Memorial Reading Garden and** other gardens surrounding The Garden Center of Greater Cleveland provide a living outdoor resource to The Garden Center's educational and cultural programs. Truly this garden is described by Josephine Nuese's definition of a garden in her excellent book The Country Garden, "To me a garden is an area, or a series of related areas, wherein one finds reassurance and tranquility, surprise and delight; its beauty lies in the subtle balancing of scale and proportion, line and form, mass and texture, contrast and accord, the whole affiliated vet full of small surprises. Such a garden imparts a benediction, enlarging the mental and emotional habitation . . ."

flower intermittantly throughout the summer with the major bloom period being in June. The European wild ginger, *Asarum europeum*, has proved a most desirable ground cover. With its glossy, evergreen foliage, this ground cover seems to thrive in shady locations and in locations with more sun if kept watered during the summer.

Perennials are used as feature plants in the garden with special collections of helleborus and clematis. Included in the helleborus collection are Helleborus niger (Christmasrose), Helleborus lividus (Corsican Christmas-rose) and the variable Helleborus orientalis (Lenten-rose). The blossom color of Helleborus orientalis has been extremely variable. ranging from creamy white to purple. The clematis collection includes both shrubby perennials and the vines used on the pergola and gazebo. Clematis wyvale and Clematis integrifolia coerulea are both grown as shrubby specimens being 2 to 4 feet and upright in habit. Clematis Hagley Hybrid, C. lanuginosa candida, C. 'Duchess of Edinburgh', C. 'Mrs. Cholmondeley', C. montana rubens, and C. 'Ramona'



Arbor in reading garden.



A Greenhouse for Every Budget! Grow your own vegetables, flowers economically, healthfully. Our full line of greenhouses starts at a low \$79.95. From redwood and vinyl to fiberglass and steel. All precut for easy assembly. No special foundation needed. Budget terms available. FREE details. Write ENVIR-ONMENTAL DYNAMICS, 3010—DB Vine St., Riverside, CA 92507.

<b>TREES&amp;SHRUBS</b>
EVERGREEN TREES
3 year select trees: 8"-14", 25
5 each; Scotch Pine, Nor- FOR ONLY way Spruce, Austrian Pine, Colorado Blue Spruce, \$995
White Pine.
<b>CANADIAN HEMLOCK</b>
These are heavy, well- 15 For \$7.95
rooted, 3-yr. seed- lings. Ideal screen in sun or shade. Trim to 25 For \$12.95
desired height. 50 For \$22.95
<b>COLORADO BLUE SPRUCE</b>
Select 3-yr. 8"-14", bound- ary markers, windbreaks, FOR ONLY individual specimens.
Densely pyramidal. Bluish- \$095
green to shining blue. Pre-
<b>6 RHODODENDRON &amp;</b>
Strong 1-yr. trans- 6 AZALEAS plants 4" to 8" 6 AZALEAS tall. Mass of roots, large 12 PLANTS layor Bhaddandron trans 12 PLANTS
reaves. Knououenuron nom rok oner
red flowering stock. Aza- leas, hardy, mixed colors. \$10.95
<b>NEW GROUND COVER</b>
25 CROWNS-covers 100 sq. ft. \$ 8.95
50 CROWNS-covers 200 sq. ft. \$12.95 100 CROWNS-covers 400 sq. ft. \$22.50
CROWNVETCH – perennial. Heavy 2 yr. crowns. Flowers June til frost. Beauti-
crowns. Flowers June til frost. Beauti- ful, hardy, no mowing. Grows 12"-18" any climate, sun or partial shade. Chokes weeds, resists droughts.
Postpaid. No C.O.D. Pa. destinations add 6% tax.
Send me the items circled above
□ Send me FREE Catalog
Address
City
State Zip
Area Code Phone No
MUSSER Box 31B INDIANA
MUSSER Box 31B PA. 15701

37

# My Favorite Plant Double File Viburnum

The Double-file Viburnum is one of the aristocrats of our gardens. Its dependability and adaptability have endeared it to gardeners, nurserymen and landscape architects. The simple beauty of its branching habit, foliage and flowers are assets to any landscape planting at any time of the year. One of the great thrills for any gardener is to see a specimen plant of the Double-file Viburnum planted on a slope and in full bloom. When viewed from a higher elevation the flat-topped flower clusters arranged along the length of the horizontal branches are uniquely beautiful.

The confusing nomenclature that has plagued the Double-file Viburnum has made it difficult for gardeners and nurserymen to communicate with one another about this plant. This confusion partly arises from the fact that the basic species, Viburnum plicatum, refers to the plant popularly known as the Japanese Snowball. This is a garden form that was long cultivated in China and Japan and introduced by Robert Fortune in 1844, several years before the wild form. This plant has all sterile flowers and has been also known botanically as V. tomentosum var. plicatum, V. tomentosum var. sterile and V. tomentosum plenum. The wild and reproducing plant from China and Japan that would normally bear the species name is relegated to variety or forma status and is known today as V. plicatum var. tomentosum or by some taxonomists as V. plicatum f. tomentosum. Many nursery catalogs persist in listing the Double-file Viburnum as V. tomentosum.

Plants of the Double-file Viburnum that are sold in the nursery trade as V.

38

Francis De Vos Director Botanic Garden of the Chicago Horticultural Society Glencoe III. 60022



plicatum tomentosum or V. tomentosum represent, depending on one's viewpoint, as a somewhat uniform or variable assemblage of plants with flat-topped flower clusters made up of an outer whorl of sterile flowers and inner cluster of fertile flowers. This so-called standard form is commonly treated as if it were a cultivar or a definite variety when in actuality the name V. plicatum tomentosum represents the wild form and all those plants of the species V. plicatum that have an outer whorl of sterile flowers.

This nomenclatural muddle persists when individual plants of V. *plicatum tomentosum* are selected and given cultivar status. The cultivar known as 'Mariesi' has larger flower clusters and is one of the better fruiting types. Technically this plant should be designated a V. *plicatum tomentosum* cv. 'Mariesi'. It is easy to understand why the name of this and similar cultivars is shortened by most writers and nurserymen to V. plicatum 'Mariesi' or even V. 'Mariesi'.

Other cultivars of the Double-file Viburnum include: 'Lanarth' that originated in St. Keverne, Cornwall, England—'Lanarth' is a wide spreading form with a somewhat less horizontal branching habit; in 'Pink Beauty' and 'Roseum' the sterile ray florets turn pink under some conditions as they age; 'Rowallane' originated at Rowallane Gardens, Saintfield, Ireland and has smaller leaves, flowers freely and fruits abundantly.

The Double-file Viburnum is a broad spreading shrub with horizontal branching. Under most conditions it will reach a height of 8-10'. Many specimens are as broad as they are high. It is dependably hardy in USDA Zone 5 and Wyman's Zone 4.

In the Chicago area, the Doublefile Viburnum comes into flower in late May or early June. The flower clusters are borne in double rows along the upper sides of the branches and have been referred to by the English nurseryman, Edwin Hillier, as giving the appearance from a distance of icing on a cake. The bright green pleated leaves are attractive throughout the summer and the autumn foliage a dull but attractive purplish red. The fruiting effect is somewhat variable depending on the season and the cultivars that are grown. The fruits are at first red and finally turn black.

The Double-file Viburnum is a quality plant that deserves a place in any garden where it will grow.

#### RECOMMENDED LIGHT LEVELS FOR SELECTED DECORATIVE INDOOR PLANTS

Dr. Henry M. Cathey

#### **Light Levels:**

Low — minimum light level of 25 footcandles, preferred level of 75 to 200 footcandles

Medium — minimum of 75 to 100 footcandles, preferred level of 200 to 500 footcandles

Bromeliad) aonema commutatum pot plant low moist Chinese evergreen) aonema reseudo- practeatum" Golden aglaonema) aonema roebelinii pot plant low moist Peuter plant evariagata pot plant very high dry mucaria excelsa tree, floor, high moist aragus sprengeri pot plant medium moist Asparagus fern) aragus sprengeri pot plant very high moist stata actinophylla tree, floor, medium dry Schefflera) pot plant medium moist stata actinophylla tree, floor, low moist pot plant medium moist stata actinophylla tree, floor, low moist paraedorea elegans floor, pot low moist aramedorea tree, floor, low moist aramedorea tree, floor high moist aramedorea tree, floor high moist sus antarctica pot plant medium dry sus antarctica pot plant medium dry Grape ivy Grape ivy Grape ivy arus mitis pot plant very high dry eleus pot plant very high dry leus pot plant very high dry claamondin diaeum pot plant very high dry leus pot plant very high dry eleus pot plant medium dry eleus pot plant very high dry eleus pot plant very high dry eleus pot plant very high dry eleus plant very high dry eleus plant very high vet eleus plant very high vet eleus plan	Name	Mature Size	Light Level	Water Requirements
aonema commutatum Chinese evergreen) aonema "Pseudo- pot plantlowmoistaonema "Pseudo- roracteatum"pot plantlowmoistGolden aglaonema) aonema roebelinii peuter plant)pot plantlowmoistPeuter plant)pot plantlowmoistev ariegata evariegata pot plantpot plantwery high moistdryworaria excelsa tree, floor, highhighmoistNorfolk island pine) pot plant aragus sprengeri pot plantpot plant mediummoistaonema roebelinii pot plant aragus sprengeri pot plantmediummoistgonias, other than pot plant sesia actinophylla schefflera) pot plant metallica and rex sesia actinophylla tree, floor, pot plant amaedorea ere, floor, pot plant maaerops humilis sus antarctica pot plant plant amaerops humilisfloor, pot plant moistnoistamaerops humilis sus antarctica sus rhombifolia diaeumpot plant plant pot plant pot plant pot plant pot plant mediumdrydiaeum sus antarctica sus pot plantpot plant pot plant pot plant pot plant mediumdrydiaeum tree, floor, pot sus mitis sus antarctica pot plantpot plant mediumdrydiaeum pot plant sus antarctica pot plantvery high drydrydiaeum pot plant susual pot plant pot plant pot plant diaeumpot plant very highdrydiaeum pot plant susual pot plant pot plant plant effenbachia floor, po	Aechmea fasciata	pot plant	medium	moist
Chinese evergreen aonema "Pseudo- vracteatum"pot plantlowmoistaonema roebelinii evariegata uccaria excelsapot plantlowmoistevariegata uccaria excelsapot plantvery highdry uccaria excelsatree, floor, highmoistNorfolk island pine paragus sprengeri pot plantpot plantmediummoistAsparagus fern) sonias, other than pot plantpot plantmediummoistSsaia actinophylla tree, floor, pot plantmediummoistmetallica and rex ssaia actinophylla tree, floor, pot plantmediummoistsmaedorea erumpens sus antarctica us notibilitisfloor, pot plantlowmoistamaedorea erumpens sus antarctica sus antarctica calaeumpot plantmoistmoistSus antarctica acaena oriel sus antarctica sus antarctica pot plantpot plantmoistmoistdiaeum pot plant diaeum pot plantpot plantmediumdrymoistdiaeum pot plant diaeum pot plantpot plantmoistmoistmoistdiaeum pot plant pot plantpot plantwetmoistmoistdiaeum pot plant esula pot plantpot plantwetmoistdiaeum pot plant esula pot plantvery highdrymoistdiaeum pot plant esula pot plantmedium drydrymoistdiaeum pot plant esula pot plantmedium drydrydiaeum<	(Bromeliad)			
Practeatum"Golden aglaonema) aonema roebelinii pot plantpot plantlowmoistaonema roebelinii peuter plant)pot plantvery high highdry moistev ariegat aragus sprengeri pot plant aragus sprengeripot plant pot plantmediummoistgonias, other than metallica and rex ssaia actinophylla schefflera)tree, floor, pot plantmediummoistmetallica and rex ssaia actinophylla proces)tree, floor, pot plantmediummoistamaedorea elegans floor, pot metallo palm) amaerops humilis sus antarctica sus nombifolia amoon pot plantmoistmoistBamboo palm) amaerops humilis fleuen pot plantmediumdrymoistEuropean fan palm gorape ivy) frage ivy) fleuen fleuen gorape ivy)pot plantmediumdrygonias, dher medium pot plantpot plantmoistmoistBamboo palm) amaerops humilis sus antarctica sus hombifolia anonen (Dumb cane) pot plantmediumdrygoniaspot plantvery highdrygoniaspot plantvery highdry	Aglaonema commutatum (Chinese evergreen)	pot plant	low	moist
Golden aglaonema) aonema roebeliniipot plantlowmoistPeuter plant)pot plantvery highdryPeuter plant)pot plantwery highdrymucaria excelsatree, floor,highmoistNorfok island pine)pot plantmediummoistparagus sprengeripot plantwery highmoistAsparagus fern)gonias, other thanpot plantwery highmoistssaia actinophyllatree, floor,mediumdrySchefflera)pot plantmediummoistspecies)manedorea elegansfloor, potlowmoistamaedoreatree, floor,lowmoistamaedoreatree, floor,lowmoistamaerops humilistree, floorhighmoistsus antarcticapot plantmediumdrysus rhombifoliapot plantmediumdrysus rhombifoliapot plantwery highdryclaeumpot plantvery highdrydiaeumpot plantvery highdryeffenbachiapot plantvery highdryamoena (Dumb cane)plantmediumdryeffenbachiaploor, potmediumdryeffenbachiafloor, potmediumdryeffenbachiaploor, potmediumdryacaena deremensisfloor, potmediumdryeffenbachiaplor, potmediumdryacaena dere	Aglaonema "Pseudo-	pot plant	low	moist
aonema roebeliniipot plantlowmoistPeuter plant)pot plantvery highdryPeuter plant)pot plantvery highmoistNorfolk island pine)pot plantmediummoistparagus sprengeripot plantmediummoistagonas, other thanpot plantvery highmoistssaia actinophyllatree, floor,mediumdryschefflera)pot plantmediummoistproceiso)mediads (manypot plantmediummoistamaedorea elegansfloor, potlowmoistparaedorea elegansfloor, potlowmoistBamboo palm)plantmoistmoistamaerops humilistree, floor,lowmoistSus antarcticapot plantmediumdrysus antarcticapot plantmoistmoistsus rhombifoliapot plantvery highdrydiaeumpot plantvery highdrydiaeumpot plantvery highdryeffenbachiafloor, pothighmoistsusulapot plantvery highdryeffenbachiafloor, pothighmoistsusulapot plantvery highdrydiaeumpot plantvery highdryeffenbachiafloor, pothighmoistsusulapot plantvery highdryeffenbachiafloor, pothighmoist	bracteatum"			
Peuter plant) le variegata pot plant very high dry moist Norfolk island pine) pot plant medium moist Asparagus sprengeri Asparagus fern) gonias, other than pot plant very high moist metallica and rex ssaia actinophylla tree, floor, medium dry Schefflera) pot plant medium moist metallica and rex ssaia actinophylla tree, floor, medium moist metallica and rex ssaia actinophylla tree, floor, pot low moist metallica and rex ssaia actinophylla tree, floor, low moist metallica and rex ssaia actinophylla tree, floor, low moist amaedorea elegans floor, pot low moist amaedorea elegans pot plant amaedorea tree, floor, low moist amaedorea floor, pot plant medium dry sus antarctica pot plant high moist European fan palm) amaerops humilis tree, floor high moist European fan palm) plant sus antarctica pot plant high dry Grape ivy) Calamondin) diaeum pot plant very high dry calamondin) diaeum pot plant very high dry eleus pot plant very high dry eleus pot plant very high dry amoena (Dumb cane) plant very high dry Evotica' (Dumb cane) plant plant Evotica' (Dumb cane) plant acaena deremensis (floor, pot medium dry Evotica' (Dumb cane) plant acaena fagrans massangeana floor, pot medium wet (Corn plant) plant acaena fagrans massangeana floor, pot medium wet (Corn plant) plant acaena fagrans massangeana floor, pot medium wet (Corn plant) plant acaena marginata tree, floor medium wet (Dragon tree) plant acaena marginata tree, floor medium wet (Dragon tree) plant acaena fagrans m	(Golden aglaonema)			
e variegata uucaria excelsapot plant tree, floor, highvery high moistNorfolk island pine) pot plant aragus sprengeri gonias, other than metallica and rexpot plant very highmoistgonias, other than metallica and rexpot plant very highmoistssaia actinophylla tree, floor, pot planttree, floor, mediummoistomeliads (many pot plantpot plant pot plantmoistomeliads (many pot pot plantpot plant mediummoistamaedorea elegans armaedoreafloor, pot tree, floor, pot plantlow moistamaedorea erumpens pot planttree, floor, pot plantlow moistamaetorea true, floor, pot plantmoistamaetorea true, floor, pot plantmoistamaetorea true, floor, pot plantmoistamaetorea true, floor, pot plantmoistamaetorea trues, pot plantmoistamaerops humilis trues mitis us sis antarctica pot plantpot plant moistmost diaeum us sulla pot plantmoistdiaeum pot plantpot plant very high drydrydiaeum pot plantpot	Aglaonema roebelinii	pot plant	low	moist
nucaria excelsatree, floor, pot planthighmoistNorfolk island pine) paragus sprengeri pot plantpot plantmediummoistAsparagus fern) spaina, other than metallica and rexpot plantvery highmoistssaia actinophylla schefflera)tree, floor, pot plantmediumdrySchefflera) metiads (many pot pot plantmediummoistamaedorea araadorea araedorea araedorea tree, floor, pot amaedorea tree, floor, pot amaedorea anaedorea tree, floor, plantmoistamaedorea araenops bumilis tree, floor tree, floor bumilis tree, floor bumilis tree bumilis tree, floor bumilis tree bumilis tree bumilis tree tree, floor bumilis 	(Peuter plant)			
Norfolk island pine) baragus sprengeri pot plantpot plant mediummoistAsparagus fern) gonias, other than pot plantpot plantwery highmoistgonias, other than pot plantpot plantvery highmoistssaia actinophylla Schefflera)tree, floor, pot plantmediumdryspecies) amaedoreafloor, pot plantlowmoistamaedorea erumpens Bamboo palm) amaetorea furgen fan palm)floor, pot plantlowmoistamaeorea erumpens sus antarctica us sus antarctica furgen pot plantmoistmoistSus antarctica furgen fan palm) gramepot plantmoistware mitis furgen fan palm) furgen fan palm) plantpot plantmoistsus antarctica furgen fan palm) plantpot plantmoistware mitis furgen fan palm) furgen fan palm) furgen fan palm) plantpot plantmoistware mitis furgen fan palm) furgen fan furgen fan furgen fan furgen fan floor, pot pot plantmoistmoistclaum furgen folor pot plantpot plantwery high moistdryclaum furgen folor pot plantvery high moistdryclaum furgen folor, pot pot plantmedium mediumdryclaum furgen folor, pot plant acaena deremensis floor, pot plantmedium mediumdryclaum furgen fangens acaena deremensisfloor, pot plant mediummedium mediumdrycloren dracena) cl	Aloe variegata	and the second se		
paragus sprengeri pot plant medium moist Asparagus fern) gonias, other than pot plant very high moist metallica and rex ssaia actinophylla tree, floor, medium dry pot plant medium moist armaedorea elegans floor, pot low moist armaedorea elegans pot plant medium moist armaedorea elegans pot plant medium moist armaedorea elegans pot plant medium moist armaedorea tree, floor, low moist armaedorea tree, floor, low moist armaecops humilis tree, floor high moist sus antarctica pot plant high moist Kangaroo vine) sus rhombifolia pot plant medium dry Grape ivy) diaeum pot plant very high dry leus pot plant wery high dry leus pot plant wery high dry leus pot plant very high dry leus pot plant wery high dry leus pot plant medium dry leus pot plant medium dry leus pot plant medium dry leus pot plant medium dry leugantisima plant Spider aralia) acaena deremensis floor, pot medium wet legantissima floor, pot medium dry (Green dracena) plant acaena deremensis floor, pot medium wet (White striped pot medium dry tree, floor medium wet (Corn plant) plant acaena flagrans massangeana floor, pot low wet (Corn plant) plant acaena araginata tree, floor medium wet (Corn plant) plant acaena araginata tree, floor medium wet (Corn plant) plant acaena araginata tree, floor medium wet (Japanese loquat) tree high moist	Araucaria excelsa		high	moist
Asparagus fern) gonias, other than metallica and rexpot plantvery high moistmoistssaia actinophylla Schefflera)tree, floor, pot plantmediumdrymelidas (many pot plantpot plantmediummoistgonias, (many pot plantpot plantmediummoistgenecies)maedoreafloor, pot plantlowmoistamaedorea arumpens bot plantplantmoistmoistamaedorea arumpens bot plantplantmoistmoistamaedorea arumpens bot planttree, floor, plantlowmoistamaerops humilis sus antarctica sus rhombifolia planttree, floor planthighmoistSus antarctica (Grape ivy) rus mitispot plantmediumdryrus mitis susala pot plantpot plantvery highdryclaaund pot plantpot plantvery highdrydifenbachia amoena (Dumb cane) eygotheca (Green dracena) cacana deremensisfloor, pot plantmediumdryfloor, pot rygotheca acaena deremensispot plantmediumdryWarneckei' (White striped (Corn plant) acaena marginata (Corn plant)pot plantmediumdrydacaena) corplantplant plantmediumdrydacaena acaena marginata (Corn plant) plantplant plantgoniat mediumwetdior, pot plantmedium mediumdrydiacaena) (Corn plant) <td>(Norfolk island pine)</td> <td>and the second se</td> <td></td> <td></td>	(Norfolk island pine)	and the second se		
gonias, other than pot plant very high moist metallica and rex ssaia actinophylla tree, floor, medium dry pot plant medium moist schefflera) pot plant medium moist mediads (many pot plant medium moist pecies) armaedorea elegans floor, pot low moist nearumpens pot plant armaedorea tree, floor, low moist paraerops humilis tree, floor high moist European fan palm) plant armaerops humilis tree, floor high moist European fan palm) plant sus antarctica pot plant high moist European fan palm) plant sus rhombifolia pot plant high dry Calamondin) diaeum pot plant very high dry trus mitis pot plant very high dry calamondin) diaeum pot plant very high dry trus mitis pot plant wery high dry pot plant very high dry trus mitis pot plant wery high dry floor, pot medium dry armoena (Dumb cane) etgepantissima plant acaena deremensis floor, pot medium dry (Green dracena) plant acaena deremensis floor, pot medium wet pot plant wery high moist Warneckei' (White striped pot medium dry dracaena) plant acaena fragrans massangeana floor, pot low wet conduction dry diacaena marginata tree, floor medium wet (Corapo Ittel) plant acaena marginata tree, floor medium wet (Corapo Ittel) plant acaena marginata tree, floor medium wet siscia pot plant very high wet obotyra japonica (Japanese loquat) tree high moist	Asparagus sprengeri	pot plant	medium	moist
netallica and rex ssaia actinophylla tree, floor, medium dry pot plant medium moist species) amaedorea elegans floor, pot low moist pamelads (many pot plant medium moist species) amaedorea elegans floor, pot low moist plant tree, floor, low moist pot plant plant amaeops humilis tree, floor high moist European fan palm) plant amaerops humilis tree, floor high moist Sus antarctica pot plant high moist Kangaroo vine) sus rhombifolia pot plant medium dry Crape ivy) cus mitis pot plant very high dry leus pot plant very high dry leus pot plant very high dry fienbachia floor, pot medium dry fienbachia floor, pot medium dry Exotica' (Dumb cane) plant Spider aralia) acaena deremensis floor, pot medium wet elegantissima plant Spider aralia) acaena deremensis floor, pot medium dry dracaena fagrans massangeana floor, pot medium dry plant acaena marginata tree, floor medium wet (Corn plant) plant acaena marginata tree, floor medium wet Corapo rise) sus rhombifolia pot plant very high moist susula pot plant very high dry elegantissima plant cumedium dry Exotica' (Dumb cane) plant acaena fragrans massangeana floor, pot medium dry plant acaena marginata tree, floor medium wet (Corn plant) plant acaena marginata tree, floor medium wet (Corn plant) plant scia pot plant very high wet	(Asparagus fern)			
Scheffleral omeliads (many opecies)pot plant of plantmediummoistamaedorea armaedoreafloor, pot plantlowmoistNeanthe bella palm) armaedoreaplant ree, floor, pot plantlowmoistamaedorea armaedoreatree, floor, pot plantlowmoistBamboo palm) armaerops humilistree, floor planthighmoistBamboo palm) amaerops humilistree, floor planthighmoistEuropean fan palm) sus antarcticapot planthighmoistSus rhombifolia Grape ivy)pot plantmediumdryGrape ivy) amos mitispot plantvery highdryCalamondin) diaeumpot plantvery highdrydiaeum leus sus/apot plantvery highdrydiaeum effenbachia affenbachia floor, pot pot plantmediumdryeffenbachia effenbachia acaena deremensisfloor, pot plantmediumdrygogotheca elegantissima cacena daremensisfloor, pot plantmediumwetVarneckei' (White striped dracaena acaena fragranspot plant plant acaena fragransmediumwetWarneckei' (Corn plant) plant acaena marginata sciapot plant plant plant plant acaena marginata tree, floorlow mediumwetWarneckei' (Corn plant) plant acaena marginata sciapot plant plant plant plant plant plant plant plant plant plant plant <td>Begonias, other than metallica and rex</td> <td>pot plant</td> <td>very high</td> <td>moist</td>	Begonias, other than metallica and rex	pot plant	very high	moist
Schefflera)pot plantmediummoistamedorea elegansfloor, potlowmoistamaedoreatree, floor,lowmoistamaedoreatree, floor,lowmoistamaedoreatree, floor,lowmoistamaedoreatree, floorhighmoistamaeopspot plantmoistBamboo palm)plantmoistamaerops humilistree, floorhighmoistEuropean fan palm)plantmoistsus antarcticapot planthighmoistSus antarcticapot plantmediumdryGrape ivy)moistpot plantwetcalamondinpot plantvery highdrydiaeumpot plantvery highdryeluspot plantvery highdrycalamondinpot plantvery highdrydiaeumpot plantvery highdryeluspot plantvery highdryeluspot plantvery highdryeluspot plantmediumdryamoena (Dumb cane)plantmediumdryelegantissimaplantmediumdrySpider aralia)acaena deremensisfloor, potmediumGreen dracena)plantmediumdrycaeana deremensisfloor, potmediumdryWarneckei'plantacaena fragrasmacaena fragrasmassangeanafloor, pot<	Brassaia actinophylla	tree, floor,	medium	dry
meliads (many species)pot plantmediummoistamaedorea erumpens pot plantfloor, pot plantlowmoistBamboo palm) amaerops humilistree, floor, pot plantlowmoistBamboo palm) amaerops humilistree, floor pot planthighmoistBamboo palm) amaerops humilistree, floor pot planthighmoistSus antarctica sus antarcticapot planthighmoistSus antarctica sus rhombifoliapot planthighdryGrape ivy) calaeumpot planthighdryCalamondin) diaeumpot plantvery highdrydiaeum effenbachiapot plantvery highdryeffenbachia acaena deremensisfloor, pot plantmediumdrycygotheca elegantissima cacaena deremensispot plantmediumwetWarneckei'pot plantmediumdryWarneckei'pot plantmediumdryWhite striped cacaena fragrans massangeana (Corn plant)plantlowwetcorrent flagrans massangeana sciapot plantvery highwetcorrent flagrans massangeana (Corn plant)pot plantmediumwetcorrent flagrans massangeana (Corn plant)plantiowwetcorrent flagrans massangeana (Corn plant)plantiowwetcorrent flagrans massangeana (Corn plant)plantiowwetcobot	(Schefflera)			
amaedorea elegansfloor, pot plantlowmoistNeanthe bella palm)plantnoistamaedoreatree, floor, pot plantlowmoistBamboo palm)amaerops humilistree, floor highhighmoistBamboo palm)gamaeropspot planthighmoistamaerops sus antarcticapot planthighmoistsus antarcticapot planthighmoistsus antarcticapot plantmediumdryGrape ivy)pot plantwery highdryCalamondin)pot plantvery highdrydiaeumpot plantvery highdryeleuspot plantvery highdrysusulapot plantvery highdryeffenbachiafloor, potmediumdryeffenbachiapot plantwertpot plantelegantissimaplantmoistplantSpider aralia) acaena deremensisfloor, potmediumwetGreen dracena) plantplantmoistWarneckei'potmediumdry(Vhite stripedpotmediumdrydracaena fragrans massangeanafloor, potlowwet(Corn plant) plantplantiowwetacaena fragrans massangeanafloor, potlowwet(Dragon tree) sciaplantree, floormediumwetobotyra japonica ((apanese loquat)tree, floorme	Bromeliads (many	and the second se	medium	moist
Neanthe bella palmplantamaedoreatree, floor, pot plantlowmoistBamboo palm)pot plantmaeropsmoistBamboo palm)plantmoistmoistBamboo palm)plantmoistmoistBamboo palm)plantmoistmoistBamboo palm)planthighmoistBamboo palm)planthighmoistBamboo palm)planthighmoistSus antarcticapot planthighmoistSus antarcticapot plantmediumdryGrape ivy)pot plantvery highdryCalamondin)pot plantvery highdryGrape ivy)pot plantvery highdryBambon and (Dumb cane)plantmediumdryEvotica' (Dumb cane)plantglantglantSpider aralia)acaena deremensisfloor, potmediumwetGreen dracena)plantglantglantglantSpider aralia)acaena deremensisfloor, potmediumdryGraen a fragransfloor, potlowwet(Corn plant)plantmatorglantglantac	Chamaedorea elegans	floor, pot	low	moist
amaedorea erumpens pot planttree, floor, pot plantlowmoist moistBamboo palm) amaerops humilistree, floor planthighmoistEuropean fan palm) sus antarctica (Grape ivy) (Grape ivy) (Dumb cane) (Grape indication indicat	(Neanthe bella palm)	and the second se		and the second s
arumpenspot plantBamboo palm) amaerops humilistree, floorhighmoistEuropean fan palm)planthighmoistEuropean fan palm)planthighmoistEuropean fan palm)planthighmoistSus antarcticapot planthighmoistSus antarcticapot plantmediumdryGrape ivy)moistpot planthighdryCalamondin)moistpot plantvery highdrydiaeumpot plantvery highdrymoistleuspot plantvery highdrymoiststssulapot plantvery highdrymoisteffenbachiafloor, potmediumdrymoisteffenbachiaplor, pothighmoistmoistelogantissimaplantmoistmoistmoistSpider aralia)glor, potmediumwetmoistacaena deremensisfloor, potmediumwetmoistGreen dracena)plantmoistmoistmoistGrean fragransmoistmediumwetmoistWarneckei'plantmediumwetmoist(Corn plant)plantmediumwetmoistacaena fragransmointmediumwetmoistmasangeanafloor, potlowwetmoist(Oragon tree)plantmediumwetmoistacaena marginata </td <td>hamaedorea</td> <td>and the second second</td> <td>low</td> <td>moist</td>	hamaedorea	and the second	low	moist
Bamboo palm)amaerops humilistree, floorhighmoistEuropean fan palm)planthighmoistEuropean fan palm)planthighmoistsus antarcticapot planthighmoistKangaroo vine)pot plantmediumdryGrape ivy)pot planthighdryCalamondin)moistwet plantvery highdiaeumpot plantvery highdryeluspot plantvery highdryeluspot plantvery highdryeluspot plantvery highdryeffenbachiafloor, potmediumdryeffenbachiapot plantmediumdryexotica' (Dumb cane)plantmoistelegantissimaelegantissimaplantglantmoistSpider aralia)acaena deremensisfloor, potmediumwetacaena deremensisfloor, potmediumdryWarneckei'plantmediumdryWarneckei'plantcaeana fragransmassangeanafloor, potmassangeanafloor, potlowwet(Dragon tree)plantcaeanawetisciapot plantvery highwetisciapot plantvery highwetisciapot plantvery highwetisciapot plantvery highwetisciapot plantvery highwetiscia<	erumpens			
amaerops humilistree, floorhighmoistEuropean fan palm)plantnoistEuropean fan palm)planthighmoistsus antarcticapot planthighmoistSus antarcticapot plantmediumdryGrape ivy)pot planthighdryCalamondin)pot plantwery highdrydiaeumpot plantvery highdryleuspot plantvery highdryelsuspot plantvery highdryleuspot plantvery highdryeffenbachiafloor, potmediumdryamoena (Dumb cane)plantmediumdryelegantissimaplantmoistSpider aralia)acaena deremensisfloor, pothighmoistacaena deremensisfloor, potmediumwetmoistWarneckei'plantmediumdrymoist(Corn plant)plantplantmediumwetacaena fragransfloor, potlowwetmassangeanafloor, potlowwet(Corn plant)plantcaena fragransmassangeanafloor, potmassangeanafloor, potlowwet(Dragon tree)plantcaenamediumwetcobotyra japonicamoittree, floormediumwetcobotyra japonicatreehighmoist		Part Provers		
European fan palm) sus antarcticaplant pot plantmoistsus antarcticapot planthighmoistKangaroo vine) sus rhombifoliapot plantmediumdryGrape ivy)pot planthighdryCalamondin)pot plantvery highdryCalamondin)pot plantvery highdrydiaeumpot plantvery highdryeleuspot plantvery highdryamoena (Dumb cane)plantmediumdryeffenbachiafloor, potmediumdryeffenbachiaplor, pothighmoisteffenbachiaplor, pothighmoisteffenbachiaplonr, pothighmoisteffenbachiaplonr, pothighmoistelegantissimaplantseacana deremensisfloor, pot(Green dracena)plantseacana deremensisfloor, pot(White stripedpotmediumdryacaena fragransfloor, potlowwetmassangeanafloor, potlowwet(Corn plant)plantseacana fragransseacana fragransmassangeanafloor, potlowwet(Dragon tree)plantseiapot plantsiciapot plantvery highwetobotyra japonicatree, floormediumwet(Japanese loquat)treehighmoist	hamaerops humilis	tree, floor	high	moist
sus antarctica pot plant high moist Kangaroo vine) sus rhombifolia pot plant medium dry Grape ivy) rus mitis pot plant high dry Calamondin) diaeum pot plant very high dry camoena (Dumb cane) plant plant medium dry effenbachia floor, pot medium dry amoena (Dumb cane) plant medium dry effenbachia pot plant medium dry effenbachia pot plant medium dry Exotica' (Dumb cane) plant elegantissima plant Spider aralia) acaena deremensis (Green dracena) plant acaena deremensis (Warneckei' White striped pot medium dry massangeana floor, pot low wet (Corn plant) plant acaena fragrans massangeana floor, pot medium wet iscia pot plant wet sisting plant acaena fragrans massangeana floor, pot low wet (Corap plant) plant acaena marginata tree, floor medium wet sicia pot plant very high wet bobtyra japonica (Japanese loquat) tree high moist				
Kangaroo vine)sus rhombifoliapot plantmediumdryGrape ivy)pot planthighdrycalamondin)pot plantvery highdrydiaeumpot plantvery highdryleuspot plantvery highdryissulapot plantvery highdryeffenbachiafloor, potmediumdryeffenbachiapot plantvery highdryeffenbachiapot plantwerthigheffenbachiapot plantmediumdryExotica' (Dumb cane)plantmediumdryExotica' (Dumb cane)plantmediumdryExotica' (Dumb cane)plantmoistgradena deremensisSpider aralia)gradena deremensisfloor, pothighmoistGreen dracena)plantmediumwetdryGrean dracena)plantmediumdrydry(Orene dracena)plantmediumdrydryacaena deremensisfloor, potlowwetmoist(White stripedpotmediumdrydrydracaenamassangeanafloor, potlowwetmoist(Corn plant)plantacaena marginatatree, floormediumwet(Dragon tree)plantsciapot plantvery highwetsciapot plantvery highwetmoistobotyra japonicatreehighmoist </td <td></td> <td>and the second second</td> <td>high</td> <td>moist</td>		and the second	high	moist
sus rhombifolia pot plant medium dry Grape ivy) rus mitis pot plant high dry Calamondin) diaeum pot plant very high dry leus pot plant very high wet issula pot plant very high dry effenbachia floor, pot medium dry effenbachia pot plant medium dry Exotica' (Dumb cane) plant grant floor, pot medium wet Spider aralia) acaena deremensis (Green dracena) plant acaena deremensis (Warneckei' (White striped pot medium dry massangeana floor, pot low wet (Corn plant) plant acaena marginata tree, floor medium wet (Dragon tree) plant scia pot plant very high wet obotyra japonica (Japanese loquat) tree high moist		her built		
Grape ivy)rus mitispot planthighdryCalamondin)pot plantvery highdrydiaeumpot plantvery highdryleuspot plantvery highdryassulapot plantwerydryamoena (Dumb cane)plantmediumdryExotica' (Dumb cane)plantmoistelegantissimaplantmoistSpider aralia)acaena deremensisfloor, potmediumacaena deremensisfloor, potmediumwet(Green dracena)plantacaena dragranswareckei'potmediumdry(White stripedpotmediumdrydracaena)plantacaena fragransmassangeanafloor, potlowwet(Corn plant)plantsciapot plantacaena marginatatree, floormediumwet(Dragon tree)plantsciapot plantsciapot plantvery highwetobotyra japonicatreehighmoist		pot plant	medium	dry
rus mitis pot plant high dry Calamondin) diaeum pot plant very high dry leus pot plant very high wet ssula pot plant very high dry effenbachia floor, pot medium dry effenbachia pot plant medium dry Exotica' (Dumb cane) plant effenbachia pot plant medium dry Exotica' (Dumb cane) vegotheca floor, pot high moist elegantissima plant Spider aralia) acaena deremensis floor, pot medium wet (Green dracena) plant acaena deremensis Warneckei' (White striped pot medium dry dracaena) plant acaena fragrans massangeana floor, pot low wet (Corn plant) plant acaena marginata tree, floor medium wet (Dragon tree) plant scia pot plant very high wet bobtyra japonica (Japanese loquat) tree high moist		porplant		
Calamondin)diaeumpot plantvery highdryleuspot plantvery highwetissulapot plantvery highdryeffenbachiafloor, potmediumdryeffenbachiapot plantmediumdryeffenbachiapot plantmediumdryeffenbachiapot plantmediumdryeffenbachiapot plantmediumdryeffenbachiapot plantmediumdryeffenbachiapot plantmediumdryeffenbachiapot plantmediumdryeffenbachiaplantmoistelegantissimaplantmoistsojder aralia)acaena deremensisfloor, potmediumacaena deremensisfloor, potmediumwet(Green dracena)plantacaena dryplantacaena dragransmassangeanafloor, potlowwet(Corn plant)plantacaena marginatatree, floormediumwet(Dragon tree)plantsciapot plantsciapot plantisciapot plantvery highwetsciasciasciaobotyra japonica(japanese loquat)treehighmoist	itrus mitis	pot plant	high	drv
diaeumpot plantvery highdryleuspot plantvery highwetleuspot plantvery highdryssulapot plantvery highdryeffenbachiafloor, potmediumdryamoena (Dumb cane)plantmediumdryeffenbachiapot plantmediumdryeffenbachiapot plantmediumdryeffenbachiapot plantmediumdryeffenbachiapot plantmediumdryeffenbachiapot plantmediumdryeffenbachiaplantmoisteffenbachiaplantmoistelegantissimaplantmoistSpider aralia)acaena deremensisfloor, potmediumwet(Green dracena)plantplantdryacaena deremensisylantdrydracaenaacaena fragransfloor, potlowwet(Corn plant)plantmediumwetacaena marginatatree, floormediumwet(Dragon tree)plantsciapot plantwetobotyra japonica(japanese loquat)treehighmoist		Par Prairie		
leuspot plantvery highwetassulapot plantvery highdryaffenbachiafloor, potmediumdryamoena (Dumb cane)plantmediumdryeffenbachiapot plantmediumdryeffenbachiapot plantmediumdryeffenbachiapot plantmediumdryeffenbachiapot plantmediumdryeffenbachiapot plantmediumdryeffenbachiapot plantmoisteffenbachiaplantmoisteffenbachiaplantmoisteffenbachiaplantwet(Spider aralia)plantwetacaena deremensisfloor, potmediumwet(Green dracena)plantacaena deremensisWarneckei'potmediumdryWaracaenaploor, potlowwet(Corn plant)plantacaena fragransmassangeanafloor, potlowwet(Dragon tree)plantwetisciapot plantisciapot plantvery highwetobotyra japonicatreehighmoist		pot plant	very high	dry
assula pot plant very high dry affenbachia floor, pot medium dry amoena (Dumb cane) plant pot plant medium dry amoena (Dumb cane) plant medium dry (Exotica' (Dumb cane) arygotheca floor, pot high moist elegantissima plant plant Spider aralia) acaena deremensis floor, pot medium wet (Green dracena) plant acaena deremensis 'Warneckei' (White striped pot medium dry dracaena) plant acaena fragrans massangeana floor, pot low wet (Corn plant) plant acaena marginata tree, floor medium wet (Dragon tree) plant scia pot plant very high wet obotyra japonica (Japanese loquat) tree high moist				
effenbachiafloor, potmediumdryamoena (Dumb cane)plantpot plantmediumdryeffenbachiapot plantmediumdryExotica' (Dumb cane)plantmediumdryExotica' (Dumb cane)plantmoistExotica' (Dumb cane)plantmoistExotica' (Dumb cane)plantmoistSpider aralia)acaena deremensisfloor, potmediumwet(Green dracena)plantmediumdryacaena deremensisylantmediumdry(Warneckei'potmediumdry(White stripedpotmediumdryacaena fragransplantmassangeanafloor, potlowmassangeanafloor, potlowwet(Corn plant)plantmediumwet(Dragon tree)plantmediumwetsciapot plantvery highwetobotyra japonicatreehighmoist				
amoena (Dumb cane) effenbachia pot plant medium dry (Exotica' (Dumb cane) sygotheca floor, pot high moist elegantissima plant (Spider aralia) acaena deremensis (Green dracena) plant acaena deremensis (Warneckei' (White striped pot medium dry dracaena fragrans massangeana floor, pot low wet (Corn plant) plant acaena marginata tree, floor medium wet (Dragon tree) plant scia pot plant very high wet (Japanese loquat) tree high moist				
effenbachiapot plantmediumdry(Exotica' (Dumb cane)floor, pothighmoist(Exotica' (Dumb cane)plantmoistplant(Spider aralia)plantmoistmoist(Green dracena)plantmediumwet(Green dracena)plantmediumwet(Warneckei'mediumdry(White stripedpotmediumdry(White stripedplantmediumdryacaena fragransfloor, potlowwet(Corn plant)plantmediumwet(Corn plant)plantmediumwet(Corn plant)plantmediumwet(Dragon tree)plantvery highwet(bobtyra japonicamoisttreehighmoist			mesnut	Shire Shire
Exotica' (Dumb cane) Exygotheca floor, pot high moist elegantissima plant Spider aralia) acaena deremensis floor, pot medium wet (Green dracena) plant acaena deremensis 'Warneckei' (White striped pot medium dry dracaena) plant acaena fragrans massangeana floor, pot low wet (Corn plant) plant acaena marginata tree, floor medium wet (Dragon tree) plant siscia pot plant very high wet obotyra japonica (Japanese loquat) tree high moist		and the second se	medium	dry
sygothecafloor, pothighmoistelegantissimaplant(Spider aralia)acaena deremensisfloor, potmediumwet(Green dracena)plantacaena deremensis'Warneckei'(White stripedpotmediumdrydracaena)plantacaena fragransmassangeanafloor, potlowwet(Corn plant)plantacaena marginatatree, floormediumwet(Dragon tree)plantsisciapot plantvery highwetiobotyra japonica(Japanese loquat)treehighmoist		por plant	mealum	uiy.
alegantissima     plant       (Spider aralia)     floor, pot     medium     wet       acaena deremensis     floor, pot     medium     wet       (Green dracena)     plant     acaena     deremensis       'Warneckei'     pot     medium     dry       (White striped     pot     medium     dry       dracaena)     plant     acaena fragrans     massangeana     floor, pot     low     wet       (Corn plant)     plant     acaena marginata     tree, floor     medium     wet       (Dragon tree)     plant     scia     pot plant     very high     wet       obotyra japonica     (Japanese loquat)     tree     high     moist		floor not	high	moist
Spider aralia) acaena deremensis floor, pot medium wet (Green dracena) plant acaena deremensis Warneckei' (White striped pot medium dry dracaena) plant acaena fragrans massangeana floor, pot low wet (Corn plant) plant acaena marginata tree, floor medium wet (Dragon tree) plant sicia pot plant very high wet obotyra japonica (Japanese loquat) tree high moist	and the second		THE T	Interior
acaena deremensis floor, pot medium wet (Green dracena) plant very acaena deremensis Warneckei' (White striped pot medium dry dracaena) plant very massangeana floor, pot low wet (Corn plant) plant very acaena marginata tree, floor medium wet (Dragon tree) plant very high wet iscia pot plant very high wet ibobtyra japonica (Japanese loquat) tree high moist		pian		
(Green dracena)       plant         acaena deremensis       plant         (Warneckei'       pot       medium       dry         (White striped       pot       medium       dry         dracaena)       plant       plant       acaena fragrans         massangeana       floor, pot       low       wet         (Corn plant)       plant       acaena marginata       tree, floor       medium       wet         (Dragon tree)       plant       job plant </td <td></td> <td>floor pot</td> <td>medium</td> <td>wet</td>		floor pot	medium	wet
acaena deremensis 'Warneckei' (White striped pot medium dry dracaena) plant acaena fragrans massangeana floor, pot low wet (Corn plant) plant acaena marginata tree, floor medium wet (Dragon tree) plant iscia pot plant very high wet obotyra japonica (Japanese loquat) tree high moist		VALUE AND	meandin	Contraction of the second
Warneckei' (White striped pot medium dry dracaena) plant acaena fragrans massangeana floor, pot low wet (Corn plant) plant acaena marginata tree, floor medium wet (Dragon tree) plant iscia pot plant very high wet iobotyra japonica (Japanese loquat) tree high moist		Pinne		
White striped     pot     medium     dry       dracaena)     plant     dracaena     dry       acaena fragrans     massangeana     floor, pot     low     wet       (Corn plant)     plant     dracaena     medium     wet       (Corn plant)     plant     medium     wet       (Dragon tree)     plant     medium     wet       (botyra japonica     japanese loquat)     tree     high     moist				
dracaena) plant acaena fragrans massangeana floor, pot low wet (Corn plant) plant acaena marginata tree, floor medium wet (Dragon tree) plant (Dragon tree) plant socia pot plant very high wet iobotyra japonica (Japanese loquat) tree high moist		Pot	medium	deu
acaena fragrans massangeana floor, pot low wet (Corn plant) plant acaena marginata tree, floor medium wet (Dragon tree) plant iscia pot plant very high wet iobotyra japonica (Japanese loquat) tree high moist			mealum	diy
massangeana floor, pot low wet (Corn plant) plant acaena marginata tree, floor medium wet (Dragon tree) plant iscia pot plant very high wet iobotyra japonica (Japanese loquat) tree high moist		plant		
(Corn plant) plant acaena marginata tree, floor medium wet (Dragon tree) plant very high wet iscia pot plant very high wet iobotyra japonica (Japanese loquat) tree high moist		floor	low	
acaena marginata tree, floor medium wet (Dragon tree) plant iscia pot plant very high wet iobotyra japonica (Japanese loquat) tree high moist			IOW	Wet
(Dragon tree) plant iscia pot plant very high wet iobotyra japonica (Japanese loquat) tree high moist			modium	
iscia pot plant very high wet iobotyra japonica (Japanese loquat) tree high moist			mealum	wet
obotyra japonica (Japanese loquat) tree high moist		and the second		
(Japanese loquat) tree high moist	piscia	por plant	very high	wet
	riobotyra japonica			
tsia japonica floor, pot medium moist	(Japanese loquat)	tree	high	moist
	atsia japonica	floor, pot	medium	moist

High — minimum of 200 footcandles,	preferred	level
of 500 footcandles		

Very high — minimum of 1,000 footcandles, preferred level of over 1,000 footcandles

	level of ove		
Name	Mature Size	Light Level	Water Requirements
(Japanese aralia)	plant	and a star	and the second
Ficus benjamina exotica		Valance	
(Weeping java fig)	tree	medium	moist
Fiscus elastica 'Decora'	tree, floor	medium	moist
(Rubber plant) Ficus lyrata	pot plant tree, floor	medium	maint
(Fiddle leaf fig)	plant	medium	moist
Ficus philippinensis	tree, floor	medium	moist
(Philippine fig)	plant	meanam	monst
Ficus retusa nitida	tree	medium	moist
(India Laurel)			
Howea forsteriana	tree, floor	low	moist
(Kentia Palm)	plant		
Hoya carnosa			
(Wax Plant)	pot plant	medium	dry
Impatiens	pot plant	very high	moist
Ligustrum lucidum	tree, floor	medium	dry
(Wax leaf privet)	plant		
Maranta leuconeura		and a loss	and the second second
(Prayer plant)	pot plant	medium	moist
Nephrolepis exaltata			
bostoniensis (Pester (see))		and Berne	
(Boston fern)	pot plant	medium	moist
Orchids (many species) Pelargonium species	pot plant	very high	moist/dry
(Geranium)	pot plant	very high	dry
Peperomia caperata	por plant	very mgn	ury
(Emerald ripple)	pot plant	low	dry
Petunia hybrida	por plant		
(Cascade type)	pot plant	very high	moist
Philodendron hybrids	and the second		
(Self-heading	floor, pot	medium	moist
philodendron)	plant		
Philodendron			
oxycardium (Common	pot plant	low	dry
philodendron)			
Phoenix roebelenii	floor, pot	medium	wet
(Dwarf data palm)	plant		
Pittosporum tobira	floor, pot	high	dry
(Mock orange)	plant		
Pleomele reflexa	all and a	all all a	
(Green pleomele)	floor plant	medium	wet
Podocarpus macrophylla	tree, floor	high	moist
Maki (Podocarpus)	pot plant	1 A.	
Polyscias guilfoylei	floor, pot	medium	moist
(Parsley aralia)	plant troo floor	medium	
Rhapis excelsa (Lady palm)	tree, floor plant	medium	wet
Saintpaulia species	plan		
(African violets)	pot plant	very high	moist
Salvia splendens	por plant	Very men	monst
(Scarlet sage)	pot plant	very high	moist
Sinningia species	Part Part		Well-Sole Sile
(Gloxinia)	pot plant	very high	wet
Spathiphyllum			and the second second
"Mauna Loa"			
(White flag)	pot plant	medium	dry
Tagetes species			
(Marigold)	pot plant	very high	moist

Additional plant listings may be obtained by writing editor AHS.

# Isn't it time you had your own permanent Greenhouse?



The Gothic Arch Greenhouse is strong, permanent, maintenance-free and guaranteed! It's constructed of top quality California Heart Redwood and translucent fiberglass panels . . . completely prefabricated for easy assembly! And the price? The 12'x12' model is less than \$600. Sure, you might find a cheaper greenhouse, but when you compare it to a Gothic Arch . . . you'll see ours is the real bargain!

Write today for Free Brochure and "The Practical Guide for Greenhouse Selection."



Dept. 8- 2 P. O. Box 1564 Mobile, Al. 36601 Serving Greenhouse Growers for 30 years

### Keep back issues of the American Horticulturist

California and a

19

monne

permanently neat, in order and always close at hand ... File them in Highsmith Deluxe Files.

Your magazines slip into these handsome files to become valuable reference volumes. Files look like expensively bound books on your library shelves. The American Horticulturist title is beautifully embossed in gold on rich leather-like green spines. Easily applied gold numbers are included to help you add dates and volume numbers. One file holds 24 issues.

Three files for \$5.95 or \$2.50 each postpaid. Send your check to The Highsmith Co. Inc.

Box 25 AHS Fort Atkinson, WI 53538

#### BONSAI

Continued from page 22

Naturally this brief explanation skips much pertinent and essential information in most facets of bonsai work. In particular, it overlooks the styling work needed to maintain the shape of the bonsai, the work of developing pleasing proportions, and many further considerations of how branches or a line of trunk are chosen. The considerations of styling, the art in the art of bonsai, take as their rules those same universal ratios and values that have guided, perplexed, and bemused all artists since the first rudimentary "stick-in-the-sand" portrayal was done by pre-man. Bonsai art has consumed many creative individuals' lifetimes. It is a great challenge and intrigues even the best trained artists. The need in bonsai is to create an effect of balance and grace which occurs in the randomly pruned shape and branch placement of the real adult tree. Naturally, a white pine in meadowland varies in shape from one on a wind-blasted ridge. Both vary from an American elm, or a red maple. The study of tree shapes alone can be an immensely complex and interesting pastime.

The problem is further compounded by the task of dealing with many different tools. Combine this with the ways individual plant materials behave under those tools, copper wire, and the restricting culture of small containers, and bonsai becomes an extremely complex art.

While the lessons to learn may seem long, shortcuts are available. With proper instruction you can do compelling work soon after you have started. Then you can progress and experiment and explore the mysteries of bonsai on your own.

The one drawback to bonsai is that they do require somewhat more care than other potted plants. This includes more frequent watering as a result of the soil mix which is used. But the attention they demand is our pleasure to give, and it seems a small price to pay for insurance that the tree will live long enough for us to hand it on to our children, and often our grandchildren.





Give a friend a gift membership in the American Horticultural Society.



#### S PERENNIALS

There is a NEW way to buy perennials.

Our plants are grown in groups of six pots, each pot 1-5/8" square by 2-1/4" deep.

Grown under controlled conditions these healthy plants will be shipped to you in April or May. Plant in groups for best display, you'll enjoy full-size plants in one season.

Send for our catalog today. Enjoy Bluestone Perennials at a price you will be glad to pay.

Please send us your FREE Perennial catalog.

Mentor, Ohio 44060

Name	
Address	
City	
State	Zip
DILLECTO	3140 Jackson Street

#### THE COMPLETE BOOK OF HOUSE PLANTS UNDER LIGHTS

By Charles Marden Fitch Hawthorn Books, Inc. New York-1975 275 pages, well illustrated, \$9.95

ð )K

Fitch is a well-known naturalist, horticulturist, photographer and journalist. His articles and photographs have appeared in The New York Times, Americas, Bon Voyage, Plants Alive, Horticulture, Flower and Garden, The American Orchid Bulletin, various encyclopedias and other publications.

Helen Van Pelt Wilson edited the book which generally is assurance of high quality.

Fitch is the author of two other fine books that may still be available: The Complete Book of House Plants (Hawthorn, \$9.95, 1972) and The Complete Book of Terrariums (Hawthorn, \$8.95, 1974) both edited by Mrs. Wilson.

There are two sections. Part 1 covers the basics of light gardening, with complete easyto-understand instructions on how to do it. Part 2 contains instructions on how to take care of hundreds of plants appropriate for light gardening

"You need light for living," says the author, "and this same illustration around your home can help you grow beautiful houseplants. You can create gardens all over your house, double the growing space in a greenhouse, or turn your basement into a tropical paradise by gardening under lights.

"Dim hallways, spare rooms, closets, bookshelves, and heated garages offer other possibilities. Contemplating delicate flowers or exquisite foliage can be a healthy tranquilizer, like the enjoyment of relaxing music. In the middle of the coldest winters, you can enjoy fragrant orchids and warm terrariums thriving under fluorescent lights."

T.S.

#### THE GREAT BOOK OF BIRDS

By John Gooders The Dial Press

New York-1975

352 pages, wonderfully illustrated, \$24.95

John Gooders is an ornithologist of international repute. He is perhaps best known for his editorship of the part-publication Birds of the World, which built up into an impressive nine volume encyclopedia. He

#### **ORGANIC GARDENING UNDER GLASS** By

George (Doc) and Katy Abraham Rodale Press, Inc. Emmaus, Pa.-1975 308 pages, illustrated, \$8.95

Doc and Katy are well-known greenhouse growers and garden writers in Naples, N.Y. They teach horticulture at Community College of the Finger Lakes, and have their own weekly Green Thumb radio and T.V. shows in Rochester. They write the Green Thumb syndicated column which appears in 135 newspapers and magazines.

"We wrote this book to help you discover a whole new world of gardening under glass," they say. "There are more home greenhouses and outdoor vegetable gardens now than at any time in history, a change brought about by tight money, high food costs, and a yearning for good flavor and freshness.

"No store-bought vegetables can match the taste of the crops you grow and you can have fresh fruits and vegetables almost any time of the year.

"There's an even more important reason for gardening under glass," they claim. "It is therapy. That is, to us, the main reason why everyone should have a hobby greenhouse. It helps heal minds and bodies. Today many hospitals use horticulture as a therapeutic tool for rehabilitation. It makes more sense to spend a hundred dollars for a greenhouse than to spend a thousand dollars in doctor bills."

Before you spring for a greenhouse, they say, take a good look at catalogs and at other people's greenhouses. They come in all sizes and shapes, and whichever variation you decide upon, whether it's a sunny plant room, a bay window, or a full-scale model, the addition of a greenhouse might be the nicest thing you ever did for yourself or your home.

T.S.

#### THE BOOK OF LANDSCAPE DESIGN

by Ortloff, H. Stuart and Henry B. Raymore Wm. Morrow & Co. January 15, 1975 316 pp. illustr. b/w \$3.25

## GARDENER'S MARKETPLACE

#### African Violets

African Violets, the world's most loved house plant! To learn more about them write to African Violet Society of America. P.O. Box 1326. Knoxville. Tenn 37901. for a free brochure Better still send \$6 for membership in the 18 000 member. Society and receive 5 issues of the beautifully illustrated African Violet Magazine.

America's Finest-100 Best Violets and Gesneriads-Write for Color Catalogue 15¢ -Illustrated Growing Aids Catalogue 25¢-FISCHER GREENHOUSES Dept AH Linwood. New Jersey 08221

#### Azaleas

Mrs. Julian Hill's North Tisbury Azaleas featured in *American Horticulturist* 52.1. 1973, are now available from the largest mailorder selection of hardy azaleas and rhododendrons grown in the Northeast 1976 Catalog. \$1.00 refundable with first order CARLSON's GARDENS. Box 305-AH1. South Salem. N Y 10590

#### Bicen-Special

Send 35¢ for special list of 76 plants—you choose 40 and remit \$17.76. Less than 45¢ ea. Edelweiss Gardens, Box 66 GA, Robbinsville, N.J. 08691

#### Bonsai

For membership information write: American Bonsai Society AH, 228 Rosemont Avenue, Erie, Pennsylvania 16505.

#### Cactus & Succulents

Lithops Fascinating African succulents resembling colorful pebbles. Other rare succulents. Write for catalog. ED STORMS, 4223. Pershing. Ft. Worth. Texas 76107.

#### Chrysanthemums

National Chrysanthemum Society, Inc. USA. Annual dues \$7.50, includes 5 issues of The Chrysanthemum, Beginner 's Handbook, MRS. WALTER CHRISTOFFERS, Sec., 394 Central Avenue, Mountainside, New Jersey 07092.

#### Daphne Odora

The delightful 'February Daphne' offered by Little Lake Nursery growers of rare plants. \$5.75 prepaid, California residents add 6% sales tax. Box 782. Willits, California 95490.

#### Ferns

LEARN ABOUT FERNS—join the Los Angeles International Fern Society for only \$4.50 yearly. Receive 16-page educational Bulletin and two-page Lesson monthly. Address LAIFS, Box 448-H, Hawthorne, CA 90250

#### Fuchsias

FUCHSIAS-75 varieties tested in the S E for heat resistance. Propagated from acclimatized stock. Send 10¢ for list HIDDEN SPRINGS NURSERY. Route 3, Rockmart. Georgia 30153

#### Gardening Equipment

COMPLETE TERRARIUM TOOL KIT: 24 Funnel & Tongs, Attachments, Water Tube, Terrarium Planting Booklet—\$3.50 Gift Kits mailed per your instructions OPEN SEA-SON, Box 225/AH, Ashland, Oregon 97520

#### Greenhouses

GREENHOUSE 8' x 12'. Build yourself for \$50 or less. Eight different plans \$2.97. Includes hotbed. Guaranteed. Werth's, Box 1902AH, Cedar Rapids, Iowa 52406.

#### Greenhouses and Indoor Gardening

GREENHOUSE GROWING ACCESSORIES! Complete automatic heating, cooling, ventilation systems and other accessories for all greenhouse makes, models, Write ENVI-RONMENTAL DYNAMICS, 3010-DBA VINE, RIVERSIDE, CA 92507

#### **House Plants**

Discount prices—free plants—bargain collections. Save money on Bamboo, Begonias, Bromeliads, Cactus, Succulents, Ferns, Gesneriads, House Plants, Orchids, Tree Fern Products. Yearly dues\*\$3.00. No obligation to buy. Guaranteed Plant Club, Box 114 GA, Robbinsville, N.J. 08691.

#### Miscellaneous

Indoor-Outdoor Mister – Automated solid state system Heavy rooting and sturdy growth – Valve, sensor power supply, cables – \$79.50. Fully Guaranteed – AQUAMONI-TOR, Box 327-Z, Huntington, New York 11743

#### Nursery Stock

MILLIONS OF SEEDLINGS High quality at reasonable prices Over 150 selections for Christmas trees, ornamentals Windbreaks conservation wildlife food and cover etc. Free catalog. Carino Nurseries Box 538W Indiana Pa 15701

#### Plant Supports Tiltproof

NEW Plant Supports from ORDEV keep your large growing potted indoor or patio plants straight, tiltproof and securely portable STAKE KIT expands through add-on sections up to 6 feet tall TRELLIS KIT adaptable to various shapes and heights. Detailed information: ORDEV MFG. CO., INC., 6781 Ward Road, Niagara Falls, New York 14304

#### **Professional Plastic Pots**

GREEN PLASTIC POTS-3 Round 10/ \$1.60, 24/\$3.75, 50/\$7.00;  $4\frac{y_2}{2}$  Round 10/ \$2.50, 25/\$5.75, 50/\$10.50; 6 Azalea 5/ \$2.00, 25/\$9.50, 50/\$18.00 Minimum order \$5.00 Postpaid. Write for complete list NYS residents add tax PRACTICAL PRODUCTS. Box 246A. South Salem. N.Y. 10590

#### Publications

GARDENING BECOMES AN ADVENTURE when you replace the common with the uncommon Our catalogue of rare and unusual plants shows the way Contains stories nature lore growing tips etc. all for just \$1.00 Jamieson Valley Gardens Rt 3-D Spokane Washington 99203

1976 GROWERS CATALOG-(50th year) Thousands of items Many unusual Trees, Shrubs, Plants, Seedlings, Seeds, Books, Pots, Tools, Supplies Stamps appreciated Mellinger's, North Lima 41 Ohio 44452

VEGETABLE GARDEN DISPLAYED, by The British Royal Horticultural Society is invaluable for gardeners everywhere: \$6.75, postpaid, Bryant & Cook, Seedsmen, Box 488 A, South Windsor, Connecticut 06074

BOTANICAL & HORTICULTURAL BOOKS. Rare, Out-of-print, New.-Latest Catalog \$1.00 S.J. Singer Co. 1133 Broadway, New York, N.Y. 10010.

WAKE UP YOUR GARDENING. Gardening is going places—are you with it! The AVANT GARDENER brings you all the "firsts"—new plants, products, techniques, with sources plus full features, special issues. A unique horticultural magazine-news service 24 issues a year over 500 articles. Curious? 3 sample copies \$1 Serious? \$8 50 for a full year P.O. Box 489, New York, NY 10028

## GARDENER'S MARKETPLACE

#### Rare Plants

Dwarf Conifers Alpines Exotic Japanese Maples, Bamboos Ornamental Grasses Hostas Sempervivums Extensive Catalog 50¢ Over 7 000 different plants at nursery Visitors Welcome Palette Gardens 26 W Zionhill Road Quakertown Penna 18951

#### Rare Bulbs and Plants

THE WIDE WIDE WORLD OF BULBS AND PLANTS America's unique catalog Thousands of rare items. Many unavailable elsewhere Bulbs from Achimenes through Zephyranthes. Hundreds of genera and thousands of species from the world's best growers. Hardy bulbs and perennials house plants, orchids, bromeliads, insectivorous plants, countless others. Now completely revised. Price \$3:00 (Deductible). INTERNA-TIONAL GROWERS EXCHANGE. Box 397-E. Farmington. Michigan 48024

#### Rhododendrons

Specialists in Rhododendrons—both species and low-growing hybrids Exbury azaleas, other rare plants Fall catalog 25¢. THE BO-VEES NURSERY 1737 A SW Coronado, Portland, Oregon 97219

#### Seeds

RARE FLOWER SEED from many lands in addition to seed and plants of BARN-HAVEN PRIMROSES Unique new Catalog 35 cents FAR NORTH GARDENS 15621 Auburndale Way, Livonia, Michigan 48154

#### **Volunteer Peace Corps**

You are needed for Peace Corps projects in Latin America, Africa, Asia. Extension work in harvesting, storage & marketing, home gardening projects, research, nursery & orchard programs, etc. Transportation, housing, medical care, paid vacation. U.S. citizen. Singles or couples only. Information: Lynn Rotenberg, ACTION, ORC Box F-18, Washington, D.C. 20525.

#### Wine Grape Plants

VARIETAL WINE GRAPE PLANTS Cabernet Sauvignon. Zintandel, Grenache. Pinot Chardonay. Sauvignon Blanc, many others. Hops seed available. Ogren-a. 970 3rd Avenue, L.A. Calif. 90019




Give a friend a gift membership in the American Horticultural Society.

America's Finest AFRICAN VIOLETS that will Bloom for You! that will Bloom for You! Send 15¢ for full color violet catalog; or 25¢ for illustrated Growing Adds catalog









Supermarket vegetables and fruits often taste like low-grade plastic and cost a fortune! Now thousands of people are growing their own and learning how to store and preserve their harvests. *Food Gardens* is a thorough how-to book on managing the food garden, whether in a window box, backyard or 1-2 acre plot. Thousands of illustrations, pounds of how-todo-it, where-to-find-it information. 320 super-sized pages, only \$6.95, paperbound.

At your bookstore, or send check or money order to: WILLIAM MORROW Dept. JAC-AH, 105 Madison Ave., N.Y. 10016 43

### The American Horticultural Society Travel Plans for 1976

The resounding success of the various horticultural explorations sponsored by The American Horticultural Society has encouraged the planning of additional trips into other areas of the world with an accent upon features of horticultural interest, without overlooking other areas of cultural and historical interest.

Each of the programs are individually planned and researched in an effort to produce a distinctive itinerary for members of the Society who have great diversification in their horticultural interests. It will be noted that these itineraries are quite different in many ways from the non-objective usual tourist programs. They are not 'hop, skip, and jump' trips covering huge areas and continents in minimum periods. They are planned for the sophisticated traveler with a common interest in horticulture —a magnificent bond. All airlines are scheduled I.A.T.A. flights.

These travel adventures are planned on a basis of providing the best of comforts in the areas visited. Since each of the groups are strictly limited in numbers, early reservations are recommended. Many previous projects have been fully subscribed several months prior to departure. Early enquiries are extended preference.

#### SPRING HORTICULTURAL EXPLORATIONS IN GREAT BRITAIN

Great Britain renowned as the Garden Isles has been long considered the mecca for all horticulturists. Few areas in the world are blessed with the climatic conditions so favorable for the gardener in these Isles. Based upon the interest indicated and the success of previous horticultural explorations there, three alternative itineraries are offered for Spring 1976.

#### NINE DAY HORTICULTURAL EXPLORATION DEPARTURE APRIL 26th, Returning MAY 4th, 1976

FIFTEEN DAY HORTICULTURAL EXPLORATION Departure May 13th, returning May 27th (15 days or June 3rd (22 days)

EXPLORATION OF CALIFORNIA AND ITS HORTICULTURE 16 days—April 1976

EXPLORATION OF THE PACIFIC NORTHWEST (Oregon-Washington) (Vancouver) 16 days—May 1976

A SUMMER EXPLORATION OF THE ORIENT July 16th to August 6th, 1976

AN EXPLORATION OF NEW ZEALAND (The Garden Isles of the South Pacific) October—November 1976 23 days

AN EXPLORATION OF SOUTH AFRICA September 1976 22 days

If you wish further details concerning any AHS Travel explorations briefly outlined above, please write AHS Tours c/o American Horticultural Society, Mount Vernon, VA, 22121. We will send you complete brochures as soon as they are available.



#### STATEMENT OF OWNERSHIP MANAGEMENT AND CIRCULATION

(Act of August 12, 1970: Section 3685. Title 39. United States Code.)

- 1. Title of Publication-American Horticulturist Magazine.
- 2. Date of filing-September 19, 1975.
- 3. Frequency of issue-Bi-Monthly-December, February, April, June, August, October.
- 4. Location of known office of publication-7931 East Boulevard Dr., Alexandria, Va. 22308.
- 5. Location of the headquarters or general business offices of the publishers—7931 East Boulevard Dr., Alexandria, Va. 22308.
- 6. Names and addresses of publisher, editor, and managing editor—Publisher—The American Horticultural Society, Mt. Vernon, Va. 22121. Editor—Murray Keene, The American Horticultural Society, Mt. Vernon, Va. 22121. Managing editor—none.
- 7. Owner (if owned by a corporation, its name and address must be stated and also immediately thereunder the names and addresses of stockholders owning or holding 1 percent or more of total amount of stock. If not owned by a corporation, the names and addresses of the individual owners must be given. If owned by a partnership or other unincorporated firm, its name and address, as well as that of each individual must be given.) The American Horticultural Society, Mt. Vernon, Va. 22121.
- 8. Known bondholders, mortgagees, and other security holders owning or holding 1 percent or more of total amount of bonds, mortgages or other securities—none.
- 9. Omitted.
- 10. The purpose, function, and nonprofit status of this organization and the exempt status for Federal income tax purposes have not changed during preceding 12 months.

11. Extent and Nature of Circulation	Average No. copies each issued during preceding 12 months	Actual No. copies singe issued published nearest to filing date
A. Total No. Copies Printed (net press run)	27,000	23,500
B. Paid Circulation		
<ol> <li>Sales through dealers and carriers, street vendors and counter sales</li> </ol>	<u></u>	-
2. Mail subscriptions	25,531	21,836
C. Total Paid Circulation	25,531	21,836
D. Free Distribution by Mail, Carrier or other means Samples, Complimentary, and other free copies	110	48
E. Total Distribution (sum of C and D)	25,641	21,884
F. Copies Not Distributed		
<ol> <li>Office use, left-over, unaccounted, spoiled after printing</li> </ol>	1,359	1,616
2. Returns from news agents		-
G. Total (sum of E & F—should equal net press run shown in A)	27,000	23,500

I certify that the statements made by me above are correct and complete.

(Signed) Murray Keene

